

Overweight and obese patients less likely to achieve remission in early RA

June 14 2013

A new study presented today at EULAR 2013, the Annual Congress of the European League Against Rheumatism, shows that overweight and obese patients are less likely to achieve successful remission in early rheumatoid arthritis (ERA) compared to those of normal weight.

Obese and overweight ERA subjects required 2.4 times more anti-TNF therapy throughout the study than normal weight participants without achieving similar <u>remission</u> outcomes.

RA is a chronic, inflammatory autoimmune disease affecting approximately 1 in 100 people worldwide. RA can cause pain, stiffness, progressive joint destruction and deformity, and reduce physical function, workability, quality of life and life expectancy. At least 50% of RA patients in developed countries are unable to hold down a full-time job within 10 years of onset.2

Obesity continues to remain one of the greatest public health challenges of the 21st century; numbers of those affected rise each year, with the disease now causing 10% of deaths in Europe.3

"Obesity and <u>rheumatoid arthritis</u> are both on the rise, with devastating effects on individuals and society as a whole. These data reinforce the link between obesity and inflammation, and establish that BMI is one of the few modifiable variables influencing the major outcomes in RA," said Elisa Gremese, Division of Rheumatology, Institute of Rheumatology and Affine Sciences, Catholic University of the Sacred



Heart, Rome. "There is an urgent need to address the issues of <u>overweight and obesity</u> to improve patients' chance of successful remission."

346 ERA patients with symptom duration

Citation: Overweight and obese patients less likely to achieve remission in early RA (2013, June 14) retrieved 20 November 2023 from <u>https://medicalxpress.com/news/2013-06-overweight-obese-patients-remission-early.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.