

Bone growth factor may increase benign tumors but not malignant cancer

September 6 2013

Patients undergoing spinal fusion surgery with bone morphogenetic protein (BMP) appear to be at increased risk of benign tumors—but not cancers, reports a study in the September issue of *Neurosurgery*, official journal of the Congress of Neurological Surgeons.

Other papers in the September *Neurosurgery* report on a stent-assisted approach for difficult-to-treat brain aneurysms and a new software program to help in identifying and protecting critical areas during <u>brain</u> <u>tumor surgery</u>.

BMP Linked to Increased Risk of Benign Tumors

Dr. Nandan Lad of Duke University Medical Center and colleagues analyzed the risk of cancers and <u>benign tumors</u> in nearly 4,700 patients receiving BMP as part of <u>spinal fusion surgery</u>. Bone morphogenetic protein is a growth factor that can promote new <u>bone formation</u>. It is FDA-approved for one specific type of spinal fusion surgery, but has become widely used "off-label" for other fusion procedures.

Contrary to previous smaller studies, patients receiving BMP as commonly used today, had no increase in systemic or <u>malignant cancer</u> risk, compared to a matched group undergoing spinal fusion without BMP. However, <u>spinal fusion</u> with BMP was associated with a higher risk of benign tumors: about 30% higher, after adjustment for other factors.



Although absolute risks were small, patients receiving BMP had a higher rate of benign tumors of the nervous system—especially of the tissues lining the spinal cord and brain (meninges). The increase in these <u>soft</u> tissue tumors may be related to the "large local dose" of BMP around the spine, the researchers suspect. The results of this large, independent, propensity-matched study suggest that the use of BMP in lumbar fusions is associated with a significantly higher rate of benign neoplasms, but not malignancies.

'Y'' Stents Effective for Difficult-to-Treat Brain Aneurysms

Dr. Kyle M. Fargen of University of Florida and colleagues evaluated the use of "Y-stent coiling" to block off (occlude) aneurysms in 45 patients at seven U.S. hospitals. The stent-assisted technique was used for difficult-to-treat aneurysms located at the bifurcation (branching) of two blood vessels.

Y-stent coiling produced "excellent" initial aneurysm occlusion in 84 percent of patients. On angiograms performed at ten months' follow-up, the occlusion rate had increased to 92 percent. Three <u>patients</u> required repeat treatment.

The Y-stent approach provides neurosurgeons with a valuable alternative treatment for aneurysms that would be difficult or impossible to treat with surgery. Based on their findings, Y-stent coiling offers "low complication rates and excellent clinical and angiographic outcomes," Dr. Fargen and coauthors conclude.

New Approach Helps Neurosurgeons Protect 'Eloquent Cortex'



Dr. Vinodh A. Kumar of University of Texas MD Anderson Cancer Center and colleagues evaluated new software that helps locate and protect the "eloquent cortex"—critical areas involved in speech or movement—during brain tumor surgery. The program, called "deformable anatomic templates" (DAT), can be overlaid on the patient's brain MRI and displayed in two- and three-dimensions to assess the normal position of eloquent structures relative to the patient's brain tumor. The software is ideally suited for infiltrative brain gliomas.

DAT alerted the surgeon when the glioma was located in or very close to areas of eloquent cortex. In many cases, it provided information that could not be obtained from standard brain-mapping techniques. The study provides "proof of concept that DAT supplements preoperative, intraoperative, and postoperative analysis of eloquent cortex in areas in close proximity to or within gliomas," the researchers write.

Provided by Wolters Kluwer Health

Citation: Bone growth factor may increase benign tumors but not malignant cancer (2013, September 6) retrieved 19 November 2023 from https://medicalxpress.com/news/2013-09-bone-growth-factor-benign-tumors.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.