

Visceral fat key marker for cardiometabolic risk

November 10 2014



(HealthDay)—Visceral fat is associated with cardiometabolic risk, including metabolic syndrome, regardless of body mass index (BMI), according to a study published online Nov. 5 in *JACC: Cardiovascular Imaging*.

Ravi V. Shah, M.D., from Massachusetts General Hospital in Boston, and colleagues examined the differential effects of visceral fat and subcutaneous fat and their effects on risk of <u>metabolic syndrome</u> across BMI categories. Data were included from 1,511 individuals in the Multi-Ethnic Study of Atherosclerosis who underwent adiposity assessment by computed tomography (CT). Two hundred fifty-three participants without metabolic syndrome at their initial scan underwent repeat CT.

The researchers found that regardless of BMI, visceral fat correlated with cardiometabolic risk and <u>coronary artery calcification</u>. The



correlation with incident metabolic syndrome was stronger for visceral fat than for subcutaneous fat after adjustment, regardless of weight, with a 28 percent greater risk of metabolic syndrome per 100 cm²/m visceral fat area and significant net reclassification over clinical risk (net reclassification index, 0.44). After adjustment, initial visceral fat and change in visceral fat correlated with metabolic syndrome (hazard ratio, 1.24 per 100 cm²/m and hazard ratio, 1.05 per 5 percent change). After adjustment for clinical risk and visceral fat, changes in subcutaneous fat were not associated with incident metabolic syndrome.

"Visceral adiposity is essential to assessing cardiometabolic risk, regardless of age, race, or BMI, and may serve as a marker and target of therapy in cardiometabolic disease," the authors write.

Several authors disclosed financial ties to the pharmaceutical and medical device industries.

More information: <u>Full Text (subscription or payment may be required)</u>

Copyright © 2014 HealthDay. All rights reserved.

Citation: Visceral fat key marker for cardiometabolic risk (2014, November 10) retrieved 13 February 2024 from https://medicalxpress.com/news/2014-11-visceral-fat-key-marker-cardiometabolic.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.