

# Hand washing focus in hospitals has led to rise in worker dermatitis

February 12 2015

---

A new study from The University of Manchester has revealed that the incidence of dermatitis has increased 4.5 times in health care workers following increased hand hygiene as a drive to reduce infections such as MRSA has kicked in.

Researchers from the University's Institute of Population Health studied reports voluntarily submitted by dermatologists to a national database which is run by the University (THOR), between 1996 and 2012. Sixty percent of eligible UK dermatologists used this database which is designed to report skin problems caused or aggravated by work.

They found that out of 7,138 cases of irritant contact dermatitis reported 1,796 were in [healthcare workers](#). When the numbers were broken down by year, health workers were 4.5 times more likely to suffer from irritant contact dermatitis in 2012 as in 1996. In two control groups, cases declined or did not change.

Prevention of healthcare associated infections, such as MRSA and *C. difficile*, became an NHS priority in 1999, and successive campaigns have emphasised the washing of hands with soap or alcohol hand rub by staff, patients and visitors. This has been a success, with a reduction of infections reported and a greatly increased use of cleaning products.

Dr Jill Stocks, who led the research, said: "Campaigns to reduce these infections have been very successful and many lives have been saved. However, we need to do all we can to prevent skin irritation among these

frontline workers."

The implications of increasing levels of irritant dermatitis are potentially counter-productive to the aims of [infection](#) reducing campaigns. Other studies have identified that infections can remain present for longer on damaged and broken skin and having irritated skin can put people off washing their hands.

Dr Stocks said: "Obviously we don't want people to stop washing their hands, so more needs to be done to procure less irritating products and to implement practices to prevent and treat irritant contact dermatitis."

The paper, 'The impact of national level interventions to improve hygiene on the incidence of irritant contact [dermatitis](#) in healthcare workers: changes in incidence from 1996-2012 and interrupted times series analysis', was published in the *British Journal of Dermatology*.

Provided by University of Manchester

Citation: Hand washing focus in hospitals has led to rise in worker dermatitis (2015, February 12) retrieved 14 February 2024 from <https://medicalxpress.com/news/2015-02-focus-hospitals-worker-dermatitis.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--