


More accurate prostate cancer prognosis

August 2 2016



Micrograph showing prostatic acinar adenocarcinoma (the most common form of prostate cancer) Credit: Wikipedia, <u>CC BY-SA 3.0</u>

Men diagnosed with prostate cancer can be provided with a more accurate estimate of their risk of death from the disease, and treatment planned accordingly, according to a Research Article published by Vincent J. Gnanapragasam, of the University of Cambridge, Cambridge, UK and colleagues in *PLOS Medicine*.

Prostate cancer is one of the most common cancers affecting men, and



the risk of disease progression and death is very variable when the disease is diagnosed while it is localized to the <u>prostate gland</u>. Providing as accurate an estimate as possible of the individual risk is important in planning appropriate treatment, which could range from surgery to management by regular observation, as well as in providing advice and support to patients.

Based on data from more than 10,000 UK men with prostate cancer, Gnanapragasam and colleagues developed a scheme in which men were grouped into 5 strata with different levels of risk of prostate cancer death, based on straightforward, routinely available, clinical measurements such as prostate specific antigen (PSA) level, disease stage, and tumor grade as judged by biopsy. In two large groups of men with prostate cancer analyzed separately, this scheme performed better in predicting the risk of cancer death compared to the current 3 risk strata system endorsed by most national and international guidelines.

The authors noted that, because their study was limited by reliance on cancer registry records and by relatively short duration of follow-up (median 6.9 years), further validation in independent additional cohorts is needed.

In an accompanying Perspective article, Sigrid V. Carlsson and Michael W. Kattan, respectively of the Memorial Sloan Kettering Cancer Center, New York, USA and Cleveland Clinic, Ohio, USA, discuss the importance of accurate risk estimation in prostate cancer to guide decision making by doctors and their patients.

More information: Gnanapragasam VJ, Lophatananon A, Wright KA, Muir KR, Gavin A, Greenberg DC (2016) Improving Clinical Risk Stratification at Diagnosis in Primary Prostate Cancer: A Prognostic Modelling Study. *PLoS Med* 13(8): e1002063. <u>DOI:</u> 10.1371/journal.pmed.1002063



Provided by Public Library of Science

Citation: More accurate prostate cancer prognosis (2016, August 2) retrieved 20 November 2023 from https://medicalxpress.com/news/2016-08-accurate-prostate-cancer-prognosis.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.