


Long-term DPP4-inhibitor use not tied to fracture risk in T2DM

December 19 2016



(HealthDay)—For patients with type 2 diabetes mellitus (T2DM), long-

term use of dipeptidyl peptidase-4 inhibitors (DPP4-Is) is not associated with fracture risk, according to a study published online Dec. 10 in *Diabetes, Obesity and Metabolism*.

J.H.M. Driessen, from Utrecht Institute of Pharmaceutical Sciences in the Netherlands, and colleagues examined the correlation between long-term DPP4-I use and [fracture risk](#) in a retrospective population-based cohort study using data from the Clinical Practice Research Datalink database (2007 to 2015). Data were included for 328,254 patients with at least one prescription for a non-insulin anti-diabetic drug (NIAD).

The researchers observed no correlation for current DPP4-I use with risk of any fracture (adjusted hazard ratio, 0.99; 95 percent confidence interval, 0.93 to 1.06) compared with current other NIAD use. There was no correlation seen for current DPP4-I use with risk of osteoporotic or [hip fracture](#). After stratification by continuous duration of DPP4-I use there was no [correlation](#) noted for the highest category of use with any, osteoporotic, or hip fracture.

"These findings may be of value for clinical decisions regarding treatment of T2DM patients, especially those at high fracture risk," the authors write.

Several authors disclosed financial ties to the Division of Pharmacoepidemiology & Clinical Pharmacology, which received funding from institutions and industry, including pharmaceutical companies.

More information: [Full Text \(subscription or payment may be required\)](#)

Copyright © 2016 [HealthDay](#). All rights reserved.

Citation: Long-term DPP4-inhibitor use not tied to fracture risk in T2DM (2016, December 19)
retrieved 3 February 2024 from

<https://medicalxpress.com/news/2016-12-long-term-dpp4-inhibitor-tied-fracture-t2dm.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.