

How 'stealth warrior' bacteria turn a tick's gut microbes against itself

January 16 2017

Before infecting humans, tick-borne bacteria or viruses first have to get past a tick's defenses to colonize it. How this occurs is not well understood. To investigate, Yale researchers studied a model of the second-most-common tick-borne infection in the United States, human granulocytic anaplasmosis, which can cause headaches, muscle pain, and even death.

The researchers found that in ticks, the bacterium that causes the infection, *A. phagocytophilum*, triggers the expression of a particular protein. This protein alters molecules in the tick's gut, allowing the bacteria to enter and colonize the gut microbes.

"It's like a stealth warrior that indirectly changes the tick by using the tick's own defense system," said Erol Fikrig, M.D., chief of the Infectious Diseases Section at Yale School of Medicine and senior author of the study.

The unexpected finding could help scientists develop strategies to block *A. phagocytophilum* and other tick-borne agents that cause disease, say the researchers. Fikrig's team will explore the phenomenon in the bacterium that causes Lyme disease, and its work could have implications for other mosquito-borne infections, such as Zika and West Nile.

The study was published by the *Proceedings of the National Academy of Sciences*.



More information: Pathogen-mediated manipulation of arthropod microbiota to promote infection, *PNAS*, www.pnas.org/cgi/doi/10.1073/pnas.1613422114

Provided by Yale University

Citation: How 'stealth warrior' bacteria turn a tick's gut microbes against itself (2017, January 16) retrieved 4 February 2024 from https://medicalxpress.com/news/2017-01-stealth-warrior-bacteria-gut-microbes.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.