

# High prevalence of diabetes, prediabetes in China

June 27 2017

---



Credit: CC0 Public Domain

A large, nationally representative survey in 2013 of adults in China finds that the estimated overall prevalence of diabetes was about 11 percent and that of prediabetes was nearly 36 percent, according to a study

published by *JAMA*.

Previous studies have shown increasing prevalence of diabetes in China, which now has the world's largest diabetes epidemic. To provide more recent estimates of the prevalence of diabetes and prediabetes, Linhong Wang, Ph.D., of the Chinese Center for Disease Control and Prevention, Beijing, and Yonghua Hu, M.D., of Peking University, Beijing, and colleagues analyzed data from a nationally representative survey conducted in 2013 in mainland China, which included 170,287 participants. Fasting plasma glucose and hemoglobin A1c levels were measured for all participants. Diabetes and prediabetes were defined according to the 2010 American Diabetes Association criteria.

Among the findings:

- The estimated prevalence of total diagnosed and [undiagnosed diabetes](#) was 10.9 percent; that of diagnosed diabetes, 4 percent; and that of prediabetes, 35.7 percent.
- Among persons with diabetes, 36.5 percent were aware of their diagnosis and 32.2 percent were treated; 49.2 percent of patients treated had adequate glycemic control.
- Tibetan and Muslim Chinese had significantly lower prevalence of diabetes than Han participants (14.7 percent for Han, 4.3 percent for Tibetan, and 10.6 percent for Muslim).

The authors write that the prevalence of diabetes of 10.9 percent was only slightly lower than the prevalence of total diabetes in the U.S. population (12-14 percent) in 2011-2012. The estimated prevalence of prediabetes in China (35.7 percent) was similar to the U.S. (36.5 percent in 2011-2012). Overall, 47 percent of the Chinese adult population was estimated to have either diabetes or prediabetes, slightly lower than the 49 percent to 52 percent estimate in the U.S. population.

With approximately 1.09 billion adults in total in mainland China, it is projected that 388.1 million Chinese adults (200.4 million men and 187.7 million women) may have had prediabetes in 2013.

The authors note that differences from previous higher prevalence estimates for 2010 may be due to an alternate method of measuring hemoglobin A1c.

A limitation of the study was that the researchers did not distinguish between type 1 and 2 [diabetes](#).

**More information:** *JAMA* (2017). [DOI: 10.1001/jama.2017.7596](https://doi.org/10.1001/jama.2017.7596)

Provided by The JAMA Network Journals

Citation: High prevalence of diabetes, prediabetes in China (2017, June 27) retrieved 19 November 2023 from <https://medicalxpress.com/news/2017-06-high-prevalence-diabetes-prediabetes-china.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--