

Sodium intake not linked to multiple sclerosis progression

June 14 2017



(HealthDay)—There is no association between average 24-hour urine

sodium levels and conversion from clinically isolated syndrome (CIS) to clinically definite multiple sclerosis (MS), according to a study published online May 26 in the *Annals of Neurology*.

Kathryn C. Fitzgerald, Sc.D., from the Johns Hopkins School of Medicine in Baltimore, and colleagues examined whether a high-salt diet is associated with faster conversion from CIS to MS. A total of 465 patients with CIS provided a median of 14 spot [urine](#) samples during five-year follow-up of the BENEFIT trial.

The researchers observed no correlation between average 24-hour urine sodium levels and conversion to clinically definite MS over the five-year follow-up (hazard ratio, 0.91 95 percent confidence interval, 0.67 to 1.24 per 1 g increase in estimated daily sodium intake). There were also no associations with clinical or [magnetic resonance imaging](#) (MRI) outcomes (new active lesions after six months: hazard ratio, 1.05 [95 percent confidence interval, 0.97 to 1.13]; relative change in T2 lesion volume: -0.11 [95 percent confidence interval, -0.25 to 0.04]; change in Expanded Disability Status Scale: -0.01 [95 percent confidence interval: -0.09 to 0.08]; relapse rate: hazard ratio, 0.78 [95 percent confidence interval, 0.56-1.07]). In categorical analyses using quintiles, the results were similar.

"Our results, based on multiple assessments of urine [sodium](#) excretion over five years and standardized clinical and MRI follow-up, suggest that salt intake does not influence MS disease course or activity," the authors write.

One author is an employee of Bayer AG.

More information: [Abstract](#)
[Full Text \(subscription or payment may be required\)](#)

Copyright © 2017 [HealthDay](#). All rights reserved.

Citation: Sodium intake not linked to multiple sclerosis progression (2017, June 14) retrieved 10 July 2023 from <https://medicalxpress.com/news/2017-06-sodium-intake-linked-multiple-sclerosis.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.