


Fibrous dysplasia associated with increased breast cancer risk

September 14 2017



(HealthDay)—Patients with fibrous dysplasia (FD) are at increased risk



for breast cancer, according to a study published online Aug. 30 in the *Journal of Bone and Mineral Research*.

Bas C.J. Majoor, M.D., from the Leiden University Medical Center in the Netherlands, and colleagues used hospital records from 134 female FD patients in the Netherlands and 121 in the United States to evaluate the potential relationship between <u>breast cancer</u> and FD.

The researchers found that 15 patients (six polyostotic and nine McCune-Albright syndrome) had breast cancer (87 percent thoracic localizations). Using the Dutch Pathology Registry, they validated a breast cancer incidence rate of 7.5 percent at a median age of 46 years (6.5 percent at 51 years). Compared with the Dutch general population, the breast cancer risk in the study participants was increased 3.4-fold; it was increased 13.2-fold in thoracic disease. The breast cancer incidence rate in the U.S. cohort was 4.5 percent at a median age of 36 years. Compared with the U.S. general population, the breast cancer risk in study subjects was increased 3.9-fold; it was increased 5.7-fold in thoracic disease. Four breast cancer specimens were positive for the *GNAS* mutation (44 percent).

"Risk of breast cancer is increased at a younger age, particularly in polyostotic FD, suggesting that screening for breast cancer should be considered in this particular group at a younger age than currently advocated by national guidelines," the authors write.

More information: Abstract

Full Text (subscription or payment may be required)

Copyright © 2017 HealthDay. All rights reserved.

Citation: Fibrous dysplasia associated with increased breast cancer risk (2017, September 14)



retrieved 5 February 2024 from https://medicalxpress.com/news/2017-09-fibrous-dysplasia-breast-cancer.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.