

Stopping daily aspirin dose can prove deadly

February 16 2018



Credit: American Heart Association

Stopping low-dose aspirin can cause an increase of heart attack and stroke, a recent study says.

Studies have suggested that patients experience a "[rebound effect](#)" after stopping aspirin treatment, possibly due to increased clotting levels from the loss of aspirin's blood-thinning effects.

Because of the large number of patients on aspirin and the high number

who stop treatment, the importance of a rebound effect may be significant, according to researchers.

"Low-dose [aspirin therapy](#) is a simple and inexpensive treatment," said Dr. Johan Sundstrom, lead author of the study and professor of epidemiology at Uppsala University in Sweden. "As long as there's no bleeding or any [major surgery](#) scheduled, our research shows the significant public health benefits that can be gained when patients stay on aspirin therapy."

Studies have suggested patients experience a "rebound effect" after stopping aspirin treatment, possibly due to increased clotting levels from the loss of aspirin's blood-thinning effects. Because of the large number of patients on aspirin and the high number who stop treatment, the importance of a rebound effect may be significant, Sundstrom said.

"As long as there's no bleeding or any major surgery scheduled, our research shows the significant public health benefits that can be gained when patients stay on [aspirin](#) therapy," he said.

More information: Johan Sundström et al. Low-Dose Aspirin Discontinuation and Risk of Cardiovascular Events, *Circulation* (2017). [DOI: 10.1161/CIRCULATIONAHA.117.028321](https://doi.org/10.1161/CIRCULATIONAHA.117.028321)

Provided by American Heart Association

Citation: Stopping daily aspirin dose can prove deadly (2018, February 16) retrieved 2 February 2024 from <https://medicalxpress.com/news/2018-02-daily-aspirin-dose-deadly.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private

study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.