

Most antipsychotics prescribed in nursing homes initiated there

August 9 2018



(HealthDay)—Antipsychotic therapy prescribed to nursing home

residents is mostly initiated in nursing homes rather than hospitals or outpatient settings, according to a study published in the June issue of the *Journal of the American Geriatrics Society*.

Yan Zhang, from the University of Iowa in Iowa City, and colleagues used a linked dataset of Chronic Condition Data Warehouse Medicare claims and Long-Term Care Minimum Data Set (MDS) 3.0 to determine care settings of antipsychotic initiations among 7,496 fee-for-service Medicare beneficiaries who had nursing home stays between Jan. 1, 2011, and Dec. 31, 2014.

The researchers found that 64 percent of study participants had new antipsychotic use initiated in [nursing homes](#), 18.6 percent had initiation in hospitals, and 17.5 percent had initiation in outpatient settings. Antipsychotics were often prescribed early in nursing home stays, with 40.4 percent of the entire sample receiving antipsychotic therapy within the first seven days of nursing home admission. Just over half of antipsychotic initiations (58 percent) were potentially appropriate based on indications captured in MDS records.

"Most residents initiated antipsychotic therapy in nursing homes, confirming that nursing home providers are [an] appropriate primary target of interventions to reduce antipsychotic initiation in their residents," the authors write. "Many antipsychotics were continued from other settings, indicating a need to evaluate the necessity of continued [antipsychotic](#) treatment after such transitions of care."

More information: [Abstract/Full Text \(subscription or payment may be required\)](#)
[Editorial \(subscription or payment may be required\)](#)

Copyright © 2018 [HealthDay](#). All rights reserved.

Citation: Most antipsychotics prescribed in nursing homes initiated there (2018, August 9)
retrieved 19 May 2023 from <https://medicalxpress.com/news/2018-08-antipsychotics-nursing-homes.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.