

Testosterone therapy in hypogonadism can prevent progression to T2DM

March 15 2019



(HealthDay)—Testosterone therapy (TTh) can prevent progression to

type 2 diabetes (T2D) in men with prediabetes and hypogonadism, according to a study published online March 12 in *Diabetes Care*.

Aksam Yassin, M.D., Ph.D., from the Institute for Urology and Andrology in Norderstedt, Germany, and colleagues examined whether TTh in men with hypogonadism and prediabetes prevents progression to T2D. Data were included for 316 men with prediabetes and total testosterone levels ≤ 12.1 nmol/L combined with hypogonadism symptoms. Overall, 229 men received parenteral [testosterone](#) undecanoate (T-group) and 87 served as untreated controls. For eight years, metabolic and anthropometric parameters were measured twice yearly.

The researchers observed a decrease in hemoglobin A1c (HbA1c) by 0.39 ± 0.03 percent in the T-group and an increase of 0.63 ± 0.1 percent in the untreated group. Ninety percent of those in the T-group achieved normal glucose regulation (HbA1c 6.5 percent) occurred in 40.2 percent of those in the untreated group. Significant improvements were seen in fasting glucose, triglyceride:[high-density lipoprotein](#) (HDL) ratio, triglyceride-glucose index, lipid accumulation product, total cholesterol, low-density lipoprotein, HDL, non-HDL, triglycerides, and the Aging Males' Symptoms scale in the T-group, while significant decreases were seen in these parameters in the untreated group.

"Testosterone treatment holds tremendous potential for the prevention of diabetes in the rapidly growing population of men with [hypogonadism](#) and prediabetes and warrants further investigation," the authors write.

Several authors disclosed financial ties to Bayer, which funded the study.

More information: [Abstract/Full Text \(subscription or payment may be required\)](#)

Copyright © 2019 [HealthDay](#). All rights reserved.

Citation: Testosterone therapy in hypogonadism can prevent progression to T2DM (2019, March 15) retrieved 4 February 2024 from

<https://medicalxpress.com/news/2019-03-testosterone-therapy-hypogonadism-t2dm.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.