

Heart disease biomarker linked to paleo diet

July 22 2019



Dr. Angela Genoni of Edith Cowan University. Credit: ECU

People who follow the paleo diet have twice the amount of a key blood biomarker linked closely to heart disease, the world's first major study examining the impact of the diet on gut bacteria has found.

Researchers from Edith Cowan University (ECU) compared 44 people on the diet with 47 following a traditional Australian diet.

The research, published in the *European Journal of Nutrition*, measured the amount of trimethylamine-n-oxide (TMAO) in participants' blood.

High levels of TMAO, an organic compound produced in the gut, are associated with an increased risk of [heart disease](#), which kills one Australian every 12 minutes.

Impact on gut health

The controversial Paleo (or 'caveman') diet advocates eating meat, vegetables, nuts and limited fruit, and excludes [grains](#), legumes, dairy, salt, refined sugar and processed oils.

Lead researcher Dr. Angela Genoni said that with the diet's growing popularity, it was important to understand the impact it could have on overall health.

"Many Paleo diet proponents claim the diet is beneficial to gut health, but this research suggests that when it comes to the production of TMAO in the gut, the Paleo diet could be having an adverse impact in terms of heart health," she said.

"We also found that populations of beneficial bacterial species were lower in the Paleolithic groups, associated with the reduced carbohydrate intake, which may have consequences for other chronic diseases over the long term."

Reduced intake of whole grains to blame

She said the reason TMAO was so elevated in people on the Paleo diet appeared to be the lack of whole grains in their diet.

"We found the lack of whole grains were associated with TMAO levels,

which may provide a link between the reduced risks of cardiovascular disease we see in populations with high intakes of whole grains," she said.

The researchers also found higher concentrations of the bacteria that produces TMAO in the Paleo group.

"The Paleo diet excludes all grains and we know that whole grains are a fantastic source of resistant starch and many other fermentable fibres that are vital to the health of your gut microbiome," Dr. Genoni said.

"Because TMAO is produced in the gut, a lack of whole grains might change the populations of bacteria enough to enable higher production of this compound.

"Additionally, the Paleo [diet](#) includes greater servings per day of red meat, which provides the precursor compounds to produce TMAO, and Paleo followers consumed twice the recommended level of saturated fats, which is cause for concern.

Dr. Angela Genoni initially presented her findings at the Nutrition Society of Australia Conference last year. This is the first time the findings have been published in a peer-reviewed journal.

More information: Angela Genoni et al, Long-term Paleolithic diet is associated with lower resistant starch intake, different gut microbiota composition and increased serum TMAO concentrations, *European Journal of Nutrition* (2019). [DOI: 10.1007/s00394-019-02036-y](https://doi.org/10.1007/s00394-019-02036-y)

Provided by Edith Cowan University

Citation: Heart disease biomarker linked to paleo diet (2019, July 22) retrieved 23 January 2023 from <https://medicalxpress.com/news/2019-07-heart-disease-biomarker-linked-paleo.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.