

Caesarean birth has little impact on children developing allergies

March 3 2020



Credit: CC0 Public Domain



A caesarean birth had little impact on whether a child would go onto develop allergies, a new study led by the Murdoch Children's Research Institute (MCRI) has shown.

The research, published in the *Archives of Disease in Childhood* journal, found only a small link between caesarean delivery and asthma and no association between the delivery method and eczema or <u>lung function</u>.

The research team, headed by MCRI's Professor Melissa Wake and Dr. Rachel Peters, used parent-reported asthma and eczema data drawn from the HealthNuts study (3135 participants) and the Longitudinal Study of Australian Children (3654 participants) at age 6–7 years and lung function data from Child Health CheckPoint study (1502 participants) at age 11–12 years.

Professor Wake said previous data from the 1990s suggesting a link between caesarean delivery and childhood allergic diseases such as eczema, asthma and poor lung function had warranted further examination.

"Scientists are racing to find out what's behind the epidemic of allergy affecting our kids," she said. "One possibility is caesarean delivery, because rates of allergy and caesarean have rocketed up together since the 1990s. It's plausible, because a healthy start to a good immune system includes a baby's exposure to the mother's microbiome—bacteria, fungi, protozoa and viruses that live on and inside the body—during a normal <u>delivery</u>."

Dr. Peters said both <u>caesarean delivery</u> and childhood allergic disease have rapidly risen over the past 30 years.



"The global caesarean rate is higher than 20 percent, and North America, East Asia and the Pacific regions, including Australia, all now have caesarean rates around 30 percent. At the same time, rates of asthma and eczema in children aged 6–7 years globally are 12 percent and 8 percent respectively, with higher prevalence reported in Australia (20 percent and 17 percent)" Dr. Peters said.

"Our study gives parents confidence that if they want or need to have a <u>caesarean birth</u>, their child is unlikely to be at higher risk of having eczema and poor lung function than children delivered vaginally," Dr. Peters said. "And only a possible small risk of developing asthma."

More information: Zijun Liao et al. No obvious impact of caesarean delivery on childhood allergic outcomes: findings from Australian cohorts, *Archives of Disease in Childhood* (2020). DOI: 10.1136/archdischild-2019-317485

Provided by Murdoch Children's Research Institute

Citation: Caesarean birth has little impact on children developing allergies (2020, March 3) retrieved 3 February 2024 from <u>https://medicalxpress.com/news/2020-03-caesarean-birth-impact-children-allergies.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.