

Large differences in personality traits between patients with social anxiety disorder

April 29 2020



Credit: CC0 Public Domain

Individuals with social anxiety disorder have markedly different personality traits than others. Emotional instability and introversion are hallmarks, according to a new study from Uppsala University published

in *PLOS ONE*.

"Social [anxiety](#) disorder seems to be a problem that is strongly intertwined with [personality](#), but at the same time it shows great variation," says Professor Tomas Furmark from the Department of Psychology at Uppsala University, who led the study.

Researchers have long been looking for the connection between [personality factors](#) and the risk of developing psychiatric illnesses. In [psychological science](#), personality is typically described using five well-established dimensions: neuroticism, also known as emotional instability; extraversion, which deals with how outgoing a person is; openness; agreeableness; and conscientiousness—the 'Big Five'.

A study from Uppsala University, now published in *PLOS ONE*, shows that personality is strongly intertwined with the diagnosis of social anxiety disorder, also called [social phobia](#).

The study involved 265 individuals with the diagnosis. They filled out comprehensive personality instruments, including the revised NEO Personality Inventory (NEO-PI-R) and the Karolinska Scales of Personality (KSP). They were also compared with healthy control subjects and Swedish norm data. The results showed that individuals with social anxiety disorder had markedly different personality traits, in particular, high neuroticism and introversion, in other words, a tendency to be emotionally unstable and inward turning.

At the same time, the study showed that there was a great deal of variation in personality traits among the socially anxious individuals. Three personality groups could be distinguished, based on cluster analysis of the Big Five personality dimensions.

- The first group, with prototypical social anxiety, was both highly

anxious and introverted—which may be seen as the typical form of social anxiety disorder. However, these individuals accounted for only one-third (33 per cent) of the total patient sample.

- Individuals in the second group (29 per cent), with introvert-conscientious social anxiety, were very introverted but more moderately anxious and also had high levels of conscientiousness.
- Individuals in the third and largest group (38 per cent), with unstable-open social anxiety disorder, were anxious while having almost normal levels of extraversion. Comparisons with norm data also showed that these individuals scored high on the personality trait openness.

"It is possible that the causes of social anxiety differ for the three groups, for example, with regard to abnormalities in brain neurotransmitter levels and genetic factors. It may also be that different treatment efforts are needed for the different types of [social anxiety disorder](#), but further studies are needed to clarify this," says Furmark.

More information: Costache M E, et al (2020); Higher- and Lower-order Personality Traits and Cluster Subtypes in Social Anxiety Disorder, *PLOS ONE* (2020). [DOI: 10.1371/journal.pone.0232187](https://doi.org/10.1371/journal.pone.0232187)

Provided by Uppsala University

Citation: Large differences in personality traits between patients with social anxiety disorder (2020, April 29) retrieved 2 May 2023 from <https://medicalxpress.com/news/2020-04-large-differences-personality-traits-patients.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.