


Implementation of primary PCI in the management of STEMI in Egypt

August 19 2021



Credit: Unsplash/CC0 Public Domain

In a new publication from *Cardiovascular Innovations and Applications*, Sameh Shaheen, Ayman Helal, and Islam Anan from Ain Shams University, Cairo, Egypt, Fayoum University, Fayoum, Egypt, and Queen Alexandra Hospital, Portsmouth, UK consider barriers to the implementation of primary PCI in the management of STEMI in Egypt.

Evidence-based guidelines recommend primary percutaneous coronary intervention (PPCI) be the mainstay reperfusion strategy for the treatment of ST-segment elevation [myocardial infarction](#) (STEMI) if it is performed in the proper time window. The aim of the present study, through a quantitative questionnaire, is to explore the current practice of STEMI management in Egypt, and to identify the barriers, opportunities, and potential areas for improvement.

A questionnaire was conducted in Egypt via face-to-face qualitative in-depth interviews with cardiologists from 14 PPCI-capable hospitals and 26 non-PPCI-capable hospitals. Participants were selected in view of their experience and knowledge. The study identified potential barriers to the implementation of PPCI among STEMI patients in Egypt. These barriers included the prehospital patient delay and emergency medical service delay, delay in the [emergency department](#) and delay in patient transfer to the CCU, unavailable equipment, catheterization laboratory activation delay, lack of trained [interventional cardiologists](#), lack of regional STEMI networks and hospital policies, and insufficient ICU beds.

More information: Ayman Helal, Barriers to the Implementation of Primary PCI in the Management of STEMI in Egypt, *Cardiovascular Innovations and Applications* (2021). [DOI: 10.15212/CVIA.2021.0017](https://doi.org/10.15212/CVIA.2021.0017)
Ayman Helal, Barriers to the Implementation of Primary PCI in the Management of STEMI in Egypt, *Cardiovascular Innovations and Applications* (2021). [DOI: 10.15212/CVIA.2021.0017](https://doi.org/10.15212/CVIA.2021.0017)

Provided by Compuscript Ltd

Citation: Implementation of primary PCI in the management of STEMI in Egypt (2021, August 19) retrieved 5 February 2024 from

<https://medicalxpress.com/news/2021-08-primary-pci-stemi-egypt.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.