


# Are you a morning or an evening person? It might be due to your gut bacteria

November 22 2021



(A) Chronotype distribution. Chronotypes were divided into 7 categories as Extremely early (EE): 6:30. In subsequent analysis, the pooled EE, ME and SE

populations (shaded in red) were compared with the pooled SL, ML and EL populations (shaded in blue). (B) Microbiome composition (genus level) in the different chronotypes. The relative abundance of main taxa in early (E, comprising the pooled EE, ME and SE populations) intermediate (IM) and late (L, comprising the pooled SL, ML and EL populations) chronotype is shown. (C) Alpha diversity was measured via the Shannon index and (D) using the Chao1 index, in the early (E) intermediate (IM) and late (L) chronotypes. Data represent the median (line in box), IQR (box), and minimum/maximum (whiskers). Credit: DOI: 10.1096/fj.202100857RR

A comprehensive screen of gut bacteria composition identifies specific bacterial groups that differ between the early risers and late sleepers.

Many of us can be easily classified as morning or evening people. Morning type people tend to get up early and are generally more alert in the morning—for this reason, they are called "larks." Evening "owls" on the other hand, tend to be more alert in the evening, they are able sleep late in the morning, and they prefer activities later in the day. This diurnal preference has a major impact on our sleep pattern, physiology, health and psychology.

A new study headed by Prof. Tamar Shochat and Prof. Eran Tauber of the University of Haifa, along with Prof. Naama Geva-Zatorsky from the Technion, reveals that certain gut bacteria differ between morning and evening people. "It is already known that there are some [genetic differences](#) between larks and owls, but research in [fruit flies](#) in our laboratory inspired us to test the impact of gut bacteria on human chronotypes," says Prof. Eran Tauber.

Fecal samples were collected from 91 individuals in order to extract and sequence the bacterial DNA. Analysis of the DNA sequences from each sample allowed identification of all gut bacterial species and quantify

their abundance. The chronotype of the participants was determined based on their self-reported sleep times during the weekend (waking up without an alarm clock).

Comparison of the [gut bacteria](#) in larks vs. owls revealed two major bacterial groups whose abundance differed between the chronotypes. The researchers also compared the diet of the different chronotype groups and found that [high fiber foods](#) (fruits, vegetables) and drinking water were prominent in diets of larks, while simple sugar and high protein (and [sugary drinks](#)) were associated with owls. This difference may underlie the distinction in the gut bacterial communities.

Many "owls" that need to start work or school at early [morning](#) times suffer from various health issues such as obesity, higher cardiovascular risk, and high stress levels. The current study provides the first step towards the development of specific diets that will alter the gut bacterial community and ameliorate the negative health and functional correlates of late chronotypes.

**More information:** Shaqed Carasso et al, Metagenomic analysis reveals the signature of gut microbiota associated with human chronotypes, *The FASEB Journal* (2021). [DOI: 10.1096/fj.202100857RR](#)

Provided by University of Haifa

Citation: Are you a morning or an evening person? It might be due to your gut bacteria (2021, November 22) retrieved 1 February 2024 from <https://medicalxpress.com/news/2021-11-morning-evening-person-due-gut.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private

study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.