

For cardiovascular disease patients, more physical activity may be better

December 2 2021



Blood pressure measurement of a participant of the Lifelines cohort study. Credit: Lifelines (lifelines.nl/), CC BY 4.0 (creativecommons.org/licenses/by/4.0/)

Moderate to vigorous physical activity is associated with risk reductions



of non-communicable diseases and mortality. However, whether cardiovascular health status affects the relationship between physical activity and health outcomes is unknown. A study publishing December 2nd in *PLOS Medicine* by Thijs Eijsvogels at Radboud University Medical Center, The Netherlands and colleagues suggests that while risk reduction for healthy individuals plateaus at higher levels of physical activity, those with cardiovascular disease have no upper limit of physical activity beyond which there is no further benefit.

How cardiovascular health status affects the association between physical activity and <u>health outcomes</u> is not well understood. To investigate, researchers used prospectively gathered data from the Lifelines Cohort Study; a population-based cohort of 167,729 individuals living in the Northern Netherlands. They compared the association between physical activity and major adverse cardiovascular events as well as all-cause mortality across healthy individuals, individuals with elevated levels of cardiovascular risk factors, and individuals with cardiovascular disease.

The researchers found that increasing physical activity reduced mortality risk in all groups. However, health benefits appeared to level-off above a certain volume of physical activity in healthy individuals and those with cardiovascular risk factors. In cardiovascular disease patients, the researchers found no evidence of an upper physical activity limit above which there is no further health benefit. The study was limited in that it relied on self-reported physical activity data from participants, so future research is needed to further validate the findings.

According to the authors, "These findings suggest that <u>cardiovascular</u> <u>disease</u> patients should be encouraged that 'more is better' in regard to physical activity. Physical activity recommendations should not follow a 'one-guideline-fits-all' approach but underline the need for precision medicine in which <u>physical activity</u> prescription may be dependent,



amongst other factors, on an individual's cardiovascular health status."

More information: Bakker EA, Lee D-c, Hopman MTE, Oymans EJ, Watson PM, Thompson PD, et al. (2021) Dose–response association between moderate to vigorous physical activity and incident morbidity and mortality for individuals with a different cardiovascular health status: A cohort study among 142,493 adults from the Netherlands. *PLoS Med* 18(12): e1003845. <u>doi.org/10.1371/journal.pmed.1003845</u>

Provided by Public Library of Science

Citation: For cardiovascular disease patients, more physical activity may be better (2021, December 2) retrieved 5 February 2024 from <u>https://medicalxpress.com/news/2021-12-cardiovascular-disease-patients-physical.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.