

Higher protein intake while dieting leads to healthier eating

June 20 2022, by Kitta MacPherson



Credit: CC0 Public Domain

Eating a larger proportion of protein while dieting leads to better food

choices and helps avoid the loss of muscle mass, according to a Rutgers University study.

An analysis of pooled data from multiple [weight-loss](#) trials conducted at Rutgers shows that increasing the amount of [protein](#) even slightly, from 18 percent of a person's food intake to 20 percent, has a substantial impact on the quality of the food choices made by the person. The study was published in the medical journal *Obesity*.

"It's somewhat remarkable that a self-selected, slightly higher protein intake during dieting is accompanied by higher intake of green vegetables, and reduced intake of refined grains and added sugar," said Sue Shapses, author of the study and a professor of nutritional sciences at the Rutgers School of Environmental and Biological Sciences (SEBS). "But that's precisely what we found."

In addition, the researchers found a moderately higher intake of protein provided another benefit to the dieters: a reduced loss of lean body mass often associated with weight loss.

Weight-loss regimens that employ calorie restrictions can often spur dieters to reduce the intake of healthy foods that contain [micronutrients](#) such as iron and zinc. Ingesting higher levels of proteins is often associated with healthier outcomes, but the link between protein intake and [diet](#) quality is poorly understood, according to researchers.

"The impact of self-selected dietary protein on diet quality has not been examined before, to our knowledge, like this," said Anna Ogilvie, co-author of the study and a doctoral student in the Department of Nutritional Sciences at Rutgers SEBS. "Exploring the connection between protein intake and diet quality is important because diet quality is often suboptimal in the U.S., and higher-protein weight loss diets are popular."

The data was collected from more than 200 men and women participating in clinical trials at Rutgers funded by the National Institutes of Health over the past two decades. The analysis of food records and diet quality for this study was funded by the Institute for the Advancement of Food and Nutrition Sciences in Washington, D.C. Participants were between the ages of 24 and 75 and registered a body mass index that categorized them as either overweight or obese. All participants were encouraged to lose weight by following a 500-calorie-deficit diet, and met regularly for nutrition counseling and support over a six-month period.

The participants were given nutrition advice based on the guidelines of the Academy of Nutrition and Dietetics and the American Diabetes Association. They were encouraged to allot 18 percent of their caloric intake to lean protein, such as poultry, unprocessed red meat, fish, legumes and dairy, and to expend the balance of their calories on fruits, vegetables and whole grains. They were discouraged from ingesting saturated fats, refined grains, sugar and salt.

Participants kept detailed food records, which researchers analyzed for [diet quality](#), specific categories of foods consumed and ratios and specific sources of protein.

The participants who self-selected their protein intake were then characterized by researchers into a lower-protein approach with 18 percent of overall [calories](#) coming from protein or a higher-protein approach with 20 percent of the overall food intake coming from protein.

The study concludes:

- Both low- and high-protein groups lost the same amount of weight—about five percent of their body weight over six months

- Higher-protein group individuals chose a mix of healthier foods to eat overall
- Higher-protein group individuals specifically increased intake of [green vegetables](#) and cut back on sugar and refined grains
- Higher-protein group individuals were better able to retain their lean [muscle mass](#)

Other Rutgers researchers on the paper include Yvette Schluskel and Lingqiong Meng in the Department of Nutritional Sciences at SEBS.

More information: Anna R. Ogilvie et al, Higher protein intake during caloric restriction improves diet quality and attenuates loss of lean body mass, *Obesity* (2022). [DOI: 10.1002/oby.23428](https://doi.org/10.1002/oby.23428)

Provided by Rutgers University

Citation: Higher protein intake while dieting leads to healthier eating (2022, June 20) retrieved 6 May 2023 from <https://medicalxpress.com/news/2022-06-higher-protein-intake-dieting-healthier.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.