


# A new solution to avoid postoperative bleeding in heart surgery

October 12 2022



Platelet count (A), variability in percentage (B), platelet mean volume (C), and platelet distribution width (D) of preoperative and 6- and 24-hr postoperative patients. Values are presented in median with interquartile range. Credit: *Critical Care Explorations* (2022). DOI: 10.1097/CCE.0000000000000763

Postoperative bleeding is one of the most common complications after cardiac surgeries, especially in open heart surgery. In this procedure, surgeons need to resort to cardiopulmonary bypass, an extracorporeal circuit composed of tubes and machines that replicate the function of the heart and lungs. This allows them to work inside of the heart while it remains still and bloodless. Despite its undeniable utility, the circulation of the blood outside of the body affects the number and function of components that are responsible for coagulation, the platelets. As such, to prevent or make up for bleeding, patients often need blood

transfusions, which not only increases their risk of death but also brings considerable health care costs.

Intending to find molecular signatures that could inform the prognosis, researchers from the Instituto Gulbenkian de Ciência (IGC) studied [blood samples](#) from 33 patients undergoing heart valve replacement [surgery](#) in the cardiothoracic surgery department of the Hospital de Santa Maria, in Lisbon. The samples were drawn before and six and 24 hours after the surgery and compared between patients with and without postoperative bleeding.

Changes in the levels of fats belonging to the omega-6 family in these patients' blood caught the researchers' attention. Curiously, patients with low levels of this fat in the blood before the surgery lost more blood and needed nearly twice as many postoperative transfusions. Although these fats were known to regulate the aggregation of [platelets](#) to form clots, these had never been related with the risk of bleeding. "We were very excited to find this signature that could be mechanistically related to the risk of bleeding after heart surgery and possibly decrease it," says the co-first author of the study Tiago Velho, cardiothoracic specialist at the Hospital de Santa Maria and Ph.D. student at the IGC.

Postoperative bleeding was also higher in patients whose omega-6 levels decreased between the pre and postoperative time points. But what causes this alteration? The authors explain that this is yet another example of the complex crosstalk between surgery-related inflammation and coagulation. An important inflammatory mediator, known for increasing the number and stimulating the function of platelets, seems to be related to the variability in the patients' blood fat. In particular, this pro-inflammatory mediator seems to decrease in patients with significant bleeding. As such, inflammation could be the reason behind the alterations in this fat and, consequently, the dysfunction of platelets following heart surgery.

In summary, this study shows that changes in the levels of fats from the omega-6 family, associated with inflammation, are characteristic of [heart surgery](#) with cardiopulmonary bypass. "Assessing the level of this fat in the blood before surgery could be more relevant than looking at the number of platelets," explains Luís Moita, principal investigator of the Innate Immunity and Inflammation group at the IGC, and also doctor by training. Supplementation with this fat before surgery could be a safe and inexpensive option to secure the normal functioning of these blood components.

The study is published in *Critical Care Explorations*, and the researchers are already planning another study "to evaluate the efficacy of this strategy in reducing bleeding and transfusions after surgery."

**More information:** Tiago R. Velho et al, Role of Omega-6 Fatty Acid Metabolism in Cardiac Surgery Postoperative Bleeding Risk, *Critical Care Explorations* (2022). [DOI: 10.1097/CCE.0000000000000763](https://doi.org/10.1097/CCE.0000000000000763)

Provided by Instituto Gulbenkian de Ciência (IGC)

Citation: A new solution to avoid postoperative bleeding in heart surgery (2022, October 12) retrieved 3 February 2024 from <https://medicalxpress.com/news/2022-10-solution-postoperative-heart-surgery.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--