


Sensor system for testing saliva is key step toward improving lives of people with epilepsy

November 28 2022, by Steve Lundeberg



Personalized Drug Dosage

Credit: Oregon State University

Researchers in the Oregon State University College of Engineering have taken a key step toward improving the lives of patients with epilepsy by developing a sensor system for quickly testing their saliva to see if they have the correct level of anti-epileptic medicine in their system.

The study, published in the *Journal of Applied Electrochemistry*, is important because roughly 3.5 million people in the United States have epilepsy, including nearly half a million children, the authors note.

"With further development, our system could be used to empower [epilepsy patients](#) by letting them monitor their anti-seizure [drug](#) levels from home," said Lael Wentland, a postdoctoral researcher at OSU.

"From the data our sensor can generate, a personalized drug dosage can be determined, reducing the chances of toxic side effects from too-high doses and seizures from ineffective low doses."

Epilepsy is a [neurological disorder](#) characterized by [muscle spasms](#), convulsions and loss of consciousness in addition to seizures, and its [negative impacts](#) to physical and [mental health](#) are numerous, including a suicide risk that's much greater than that of the general population.

"It's exciting to be making progress toward a medical tool that people with epilepsy can use to improve their therapy and quality of life," said Elaine Fu, an associate professor of bioengineering who co-led the research with Wentland.

Fu, Wentland and fellow Oregon State researchers Stephen Ramsey, Matthew Johnston, Jacob Cook and Jade Minzlaff built and demonstrated a hand-held, microfluidic-based system that can detect a

seizure-preventing drug from saliva without the saliva first being subjected to a lengthy pretreatment process.

Microfluidics refers to how fluids behave as they travel through or are confined in microminiaturized devices equipped with channels and chambers.

Anti-epileptic drugs, or AEDs, have been available for more than a century but the optimal dose—high enough to control seizures and low enough not to create other problems—varies widely from patient to patient, Wentland said.

"As one example, the often-prescribed drug carbamazepine, or CBZ, interacts strongly with other AEDs and also with antibiotics," Wentland said. "Also, the way it moves through the body varies a great deal from one person to the next, and above a very narrow therapeutic range it's toxic to the point of causing poor muscle control, disorientation, hallucinations and even coma."

The standard way of measuring how much of a drug is in a patient's system is with a [blood test](#) conducted in a laboratory, but the long lag—it can be as much as several days from the time blood is drawn until the results are in—greatly limits the test's usefulness for people on AEDs, the researchers point out.

Aiming to drastically shorten the turnaround time, the researchers looked instead to saliva.

"Saliva, which is easily and non-invasively accessed, has terrific potential for health monitoring, and it's already been shown that the concentration of CBZ in saliva correlates with the concentration of the drug in the bloodstream," Fu said. "But saliva also presents a challenge for the electrochemical detection of the drug because saliva has a complex

composition that can result in signal interference."

Wentland and Fu led the development of a disposable, electrochemical flow cell that enables the detection of therapeutic levels of CBZ from a small amount of [saliva](#).

Ramsey, associate professor of computer science and biomedical sciences, spearheaded the creation of a new signal processing algorithm for the quantification of the electrochemical signal. Johnston, associate professor of electrical and computer engineering, led the development of the system's miniature potentiostat.

A potentiostat is an analytical instrument that controls the working electrode's potential in an electrochemical cell that has multiple electrodes.

More information: Lael Wentland et al, Field-use device for the electrochemical quantification of carbamazepine levels in a background of human saliva, *Journal of Applied Electrochemistry* (2022). [DOI: 10.1007/s10800-022-01785-9](#)

Provided by Oregon State University

Citation: Sensor system for testing saliva is key step toward improving lives of people with epilepsy (2022, November 28) retrieved 21 May 2023 from <https://medicalxpress.com/news/2022-11-sensor-saliva-key-people-epilepsy.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.