

New study finds association between COVID-19 testing uptake and mental disorders

December 15 2022, by Adam Pope



Credit: Pixabay/CC0 Public Domain

New research from one University of Alabama at Birmingham School of Education researcher claims that, without sufficient COVID-19 testing

capacity, it is possible that people can experience increased mental distress due to fear and concerns over their COVID-19 status.

According to study lead author Yusen Zhai, Ph.D., assistant professor in the Department of Human Studies and director of the UAB Community Counseling Clinic, COVID-19 testing is an effective yet underutilized way to manage the transmission of COVID-19.

"In March 2022, the Biden administration launched a nationwide Test to Treat Initiative, which aimed to allow Americans to rapidly access needed COVID-19 treatments," Zhai said. "In principle, the sooner people can get COVID-19 tests when they suspect having exposure or infection, the sooner they can seek COVID-19 treatments—like oral antiviral pills—if tested positive."

Zhai adds that, despite the federal government's efforts to expand the COVID-19 testing capacity, Americans still experience difficulties accessing COVID-19 tests throughout the pandemic.

"Free at-home COVID-19 home-testing kits (delivered by the federal government) run out quickly and never meet the ongoing need for testing among millions of Americans," Zhai said. "The federal free COVID-19 test program has been suspended due to a lack of funding. In other words, the U.S. [federal government](#) has no longer sustained COVID-19 testing capacity without sufficient funding from Congress."

Fear and uncertainty fueled by COVID-19 among the public and [health care workers](#) have worsened [mental health outcomes](#), overwhelming and exhausting the health care system, according to Zhai.

"People who suspect having COVID-19 exposure or infection may have excessive worries and fear of COVID-19 infections, which leads to [mental distress](#) such as depression, anxiety and suicide," he said.

"Therefore, it is critical to empirically assess the role of the use of COVID-19 tests in mental health among Americans."

The study, published in *BJPsych Open*, examined the associations between COVID-19 testing uptake (i.e., the use of COVID-19 tests) and certain mental disorders.

"Overall, we found that adults who accessed COVID-19 tests—even tested positive—were at significantly lower risk than those with unconfirmed (without testing) COVID-19 for [severe depression](#), severe anxiety, eating disorders and suicidal ideation," Zhai said. "The findings suggest that individuals who suspected they had COVID-19 but lacked confirmatory testing were more susceptible to exacerbated [mental health](#) problems, likely due to worries and fear of infection."

More information: Yusen Zhai et al, Association between COVID-19 testing uptake and mental disorders among adults in US post-secondary education, 2020–2021, *BJPsych Open* (2022). [DOI: 10.1192/bjo.2022.580](#)

Provided by University of Alabama at Birmingham

Citation: New study finds association between COVID-19 testing uptake and mental disorders (2022, December 15) retrieved 13 February 2024 from <https://medicalxpress.com/news/2022-12-association-covid-uptake-mental-disorders.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.