

Post-COVID-19 conditions tied to higher health care utilization

January 20 2023, by Lori Solomon



Health care utilization is increased in the six months following



COVID-19 infection, but vaccination can lower the risk for long COVID symptoms, according to a study published online Jan. 18 in *JAMA Network Open*.

Stephanie A. Richard, Ph.D., from the Uniformed Services University of the Health Sciences in Bethesda, Maryland, and colleagues sought to identify characteristics associated with persistent post-COVID-19 symptoms. The analysis included data from 1,832 adult U.S. military health system beneficiaries who tested positive for severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) from Feb. 28, 2020, through Dec. 31, 2021, and were followed for one year.

The researchers found that more than one-third of participants (39.7 percent) had illness that lasted 28 days or longer (28 to 89 days: 19.9 percent; \geq 90 days: 19.9 percent). Symptoms lasting \geq 28 days were more common among participants who were unvaccinated prior to infection, reported moderate or severe initial illnesses, had more hospitalized days, and had a Charlson Comorbidity Index score of \geq 5.

Postinfection vaccination among unvaccinated participants was associated with a lower risk for reporting symptoms at six months. At six months after symptom onset, participants had a higher risk for pulmonary, neurological, and mental health-related medical encounters than before SARS-CoV-2 infection.

"Our findings suggest that post-COVID-19 conditions present a major burden to patients and the health care systems that treat them," the authors write.

Several authors disclosed financial ties to either Janssen or AstraZeneca.

More information: Stephanie A. Richard et al, Persistent COVID-19 Symptoms at 6 Months After Onset and the Role of Vaccination Before



or After SARS-CoV-2 Infection, *JAMA Network Open* (2023). DOI: 10.1001/jamanetworkopen.2022.51360

Copyright © 2023 HealthDay. All rights reserved.

Citation: Post-COVID-19 conditions tied to higher health care utilization (2023, January 20) retrieved 1 April 2023 from

https://medicalxpress.com/news/2023-01-post-covid-conditions-higher-health.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.