

# Uric acid linked to later risk for irregular heart rhythm

January 12 2023, by Laura Williamson, American Heart Association News

---



High levels of uric acid in midlife may significantly raise the risk for a serious type of irregular heartbeat in the decades that follow, even in people without traditional risk factors, new research shows.

The study, published Thursday in the *Journal of the American Heart Association*, suggests that uric [acid](#) may play an important role in the development of atrial fibrillation, or AFib, an [irregular heartbeat](#) that can lead to [blood clots](#), stroke, [heart](#) failure and other heart complications.

"People with elevated uric acid levels may benefit from regular cardiovascular examinations to facilitate early diagnosis of new-onset AFib," said lead study author Mozhu Ding, a postdoctoral researcher at the Karolinska Institutet's Institute of Environmental Medicine in Stockholm, Sweden.

Uric acid is a chemical produced when the body breaks down purines, found in high amounts in alcohol, especially beer, and foods such as red meat, bacon, veal, organ meats, and some types of seafood, such as anchovies, sardines, scallops, herring and mussels. Uric acid is better known for its link to gout, a painful type of arthritis, and kidney stones. But studies also have linked high levels of uric acid to an increased risk for [high blood pressure](#), diabetes and heart disease. Recent studies suggest an association between high levels of uric acid and AFib, but evidence is limited, especially among younger, healthier adults.

Millions of U.S. adults have AFib. By 2030, it's estimated to affect 12.1 million, up from about 5.2 million in 2010. It is the most common reason for irregular heartbeats in [older adults](#), and its prevalence has been increasing worldwide.

Traditional cardiovascular risk factors—including older age, male sex, smoking, obesity, high blood pressure, high cholesterol and Type 2 diabetes—don't fully explain the increased risk for AFib, said Dr.

Elsayed Soliman, a professor of cardiology at Wake Forest University School of Medicine in Winston-Salem, North Carolina.

"That's why it's important to look for other AFib risk factors that we can act upon," said Soliman, who was not involved in the new research.

In the study, researchers followed 339,604 participants from Sweden for an average of 26 years. Participants, recruited from 1985 to 1996, were 30 to 60 years old and free of cardiovascular disease at the time of enrollment. Uric acid was measured at least once using a blood test. Participants were then divided into groups, ranking uric acid levels from lowest to highest.

The study found AFib risk rose as uric acid levels rose. Overall, those with the highest uric acid levels had a 45% higher risk of AFib than those with the lowest levels.

Elevated uric acid levels increased AFib risk even among participants who had not developed high blood pressure, diabetes, [coronary heart disease](#) or heart failure during the follow-up period. That surprised Ding, who believes her study is the first to show this.

"This means that uric acid may not only operate through cardiometabolic mechanisms to increase the risk of AFib, but it may also have a direct influence on AFib development through other mechanisms," she said.

More research is needed to identify those mechanisms, she said, though "inflammation may play a role."

AFib cases still were more common among people who had developed high blood pressure, diabetes, coronary [heart disease](#) or [heart failure](#) than those who had not, regardless of uric acid level.

Soliman said the next step is to research whether lowering uric acid levels could help reduce AFib risk. Medications and dietary changes, such as reducing alcohol and purine-rich foods in the diet, can reduce [uric acid](#) levels, and "this study raises the question of whether we should be doing so to reduce AFib risk," he said.

Copyright © 2022 [HealthDay](#). All rights reserved.

Citation: Uric acid linked to later risk for irregular heart rhythm (2023, January 12) retrieved 25 March 2023 from <https://medicalxpress.com/news/2023-01-uric-acid-linked-irregular-heart.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--