


A broad-spectrum synthetic antibiotic that does not evoke bacterial resistance

February 16 2023, by Shelly Leachman



Conjugated oligoelectrolytes (COEs) and comparative bactericidal activity and mammalian cell cytotoxicity. a, COEs share a modular structure that

spontaneously integrates into the bacterial membrane. b and c, COE structural modules are depicted by colored boxes. The intercalation into phospholipid bilayers is driven by the hydrophobic center and the terminal ionic functionalities, consisting of the conjugated aromatic core (gold module) and hydrocarbon pendants (blue module), which resemble the fatty acid center of the bilayer. Additionally, the cationic end groups (red module) and terminal acyl chains (pink module) interact via coulombic and hydrophobic interactions with the membrane surface functionalities; specific example: COE2-2hexyl. Bactericidal activity. Exponential-phase cultures ($\sim 10^8$ cells) of either d, *S. Typhimurium* 14028 or e, CA-MRSA USA300 were incubated with $10 \times$ MIC of either COE2-2hexyl (20 $\mu\text{g}/\text{mL}$; 10 $\mu\text{g}/\text{mL}$, respectively) or ciprofloxacin (0.156 $\mu\text{g}/\text{mL}$; 5 $\mu\text{g}/\text{mL}$, respectively) for 4 h, and viability was enumerated by direct colony count ($n \geq 3$, SEM). Mammalian cell cytotoxicity. COEs at the designated concentration (1–20 $\mu\text{g}/\text{mL}$) were incubated for 18 h with f, murine macrophage (RAW 264.7) and g, human epithelial cell lines (HEp-2). Mammalian cell cytotoxicity was determined by the trypan blue vital stain exclusion method, and the unstained viable cells were counted using a hemocytometer ($n = 6$, SD). Credit: *eBioMedicine* (2023). DOI: 10.1016/j.ebiom.2023.104461

In a potential game changer for the treatment of superbugs, researchers have developed a new class of antibiotics that cured mice infected with bacteria deemed nearly "untreatable" in humans—and resistance to the drug was virtually undetectable.

Developed by a research team of UC Santa Barbara scientists, the study was published in the journal *eBioMedicine*. The drug works by disrupting many bacterial functions simultaneously—which may explain how it killed every pathogen tested and why a low level of bacterial resistance was observed after prolonged [drug exposure](#).

The project was led by professors Michael Mahan, David Low, Chuck Samuel and their research team, Douglas Heithoff, Scott Mahan, Lucien

Barnes and Cyril George. Additional contributors include professors Guillermo Bazan (UC Santa Barbara) and Andrei Osterman (Sanford Burnham Prebys Medical Discovery Institute).

The discovery was serendipitous. The U.S. Army had a pressing need to charge cell phones while in the field—essential for soldier survival. Because bacteria are miniature power plants, compounds were designed by Bazan's group to harness bacterial energy as a "microbial" battery. Later the idea arose to repurpose these compounds as potential antibiotics.

"When asked to determine if the [chemical compounds](#) could serve as antibiotics, we thought they would be highly toxic to [human cells](#), similar to bleach," said Mahan, the project lead investigator. "Most were toxic—but one was not—and it could kill every bacterial pathogen we tested."

What makes the drug unique is the failure of bacteria to become resistant to it. And bacterial resistance is typically a major barrier to antibiotic development since it limits a drug's potential value in the marketplace.

"The key finding was that bacterial resistance to the drug was virtually undetectable," said lead author Heithoff. "Most drugs fail at this stage of development and never get to [clinical practice](#)."

The antibiotic has a unique mechanism of action. Contrary to most drugs (like penicillin) that target a specific germ function, the new drug targets many functions simultaneously.

"The drug appears to affect the [bacterial membrane](#), which in turn, disrupts multiple bacterial functions," explained Low, the co-project lead. "This may account for the broad-spectrum antibacterial activity and

low level of bacterial resistance."

"This class of antibiotics has potential as a new versatile therapy for antimicrobial resistant pathogens," Samuel said.

Additional drug safety and efficacy studies will need to be conducted to fully understand the clinical benefits and risks before the [drug](#) can be used in clinical practice.

More information: Douglas M. Heithoff et al, A broad-spectrum synthetic antibiotic that does not evoke bacterial resistance, *eBioMedicine* (2023). [DOI: 10.1016/j.ebiom.2023.104461](https://doi.org/10.1016/j.ebiom.2023.104461)

Provided by University of California - Santa Barbara

Citation: A broad-spectrum synthetic antibiotic that does not evoke bacterial resistance (2023, February 16) retrieved 19 January 2024 from <https://medicalxpress.com/news/2023-02-broad-spectrum-synthetic-antibiotic-evoke-bacterial.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--