


Scientists elucidate fine neural orchestration of feeding processes for the first time

March 15 2023



Motivational conflict and responses of different neural populations during a feeding segment. Credit: SIAT

A research team led by Dr. Wang Liping from the Shenzhen Institute of Advanced Technology (SIAT), Chinese Academy of Sciences, has conducted a detailed study of spontaneous behavior during the food consumption process in mice using a deep learning assisted behavior tracking system.

The study was published in *Neuron*.

The researchers described the fragmented feeding behavior characteristics in fasted mice of alternating between feeding and non-feeding related behaviors, and revealed that multiple neural populations sequentially regulated the preparation, initiation, and maintenance of a feeding segment.

They used a [deep learning](#) algorithm to identify the actions of mice in a single frame of video. A total of 14 characteristic movements were identified, and these movements were classified into eight meaningful behaviors using clustering algorithms.

These behaviors were then divided into three categories: feeding, walking, and environmental exploration. "The spontaneous behavior of mice during the food consumption process was described as an iteration of behaviors such as 'approaching food, contacting food, leaving food, and exploring the environment,'" said Dr. Wang.

Through analysis of calcium responses of different neural populations during spontaneous behavior, the researchers found that ARC^{AgRP} neurons were activated when mice were fasted with food in the

environment, but mice were exploring the environment rather than eating.

In the process of approaching food and eating, these neurons were inhibited. LH^{GABA} neurons were activated when the mice initiated feeding behavior, and the duration of activation was only weakly correlated with the duration of feeding behavior. DR^{GABA} neurons were continuously activated during feeding, and the duration of activation was strongly positively correlated with the duration of feeding behavior. DR^{GABA} neurons were inhibited when the mice left the food to explore the environment.

The researchers used optogenetic methods to further investigate the function of ARC^{AgRP} , LH^{GABA} , and DR^{GABA} neurons in the fragmented feeding behavior of mice.

Inhibiting ARC^{AgRP} neurons led to more environmental exploration and reduced feeding in fasted mice, while activating these neurons increased feeding and decreased environmental exploration in the presence of food but had no effect on environmental exploration in the presence of plastic pellet.

Activating LH^{GABA} neurons caused mice to exhibit intense biting behavior, while inhibiting these neurons caused fasted mice to be unable to bite food. Activating DR^{GABA} neurons significantly prolonged feeding behavior in mice, while inhibiting these neurons significantly shortened feeding behavior.

Therefore, the researchers speculated that the function of ARC^{AgRP} neurons is to restrict non-feeding behavior during hunger, thereby allowing feeding-related motivations to take over and initiate feeding behavior. They also concluded that LH^{GABA} neurons mediate the initiation of feeding behavior and DR^{GABA} neurons are involved in

regulating the maintenance of feeding behavior.

Similar to [mice](#), humans also exhibit fragmented feeding [behavior](#) and do not continuously focus on food during the feeding process but constantly pay attention to the surrounding environment. Children play while eating, while adults usually engage in social activities while eating.

"This study deepens our understanding of the feeding process and the neural regulation mechanism, and provides new ideas for the investigation of feeding-related disorders," said Dr. Wang.

More information: Liping Wang, An iterative neural processing sequence orchestrates feeding, *Neuron* (2023). [DOI: 10.1016/j.neuron.2023.02.025](#).
[www.cell.com/neuron/fulltext/S0896-6273\(23\)00129-0](http://www.cell.com/neuron/fulltext/S0896-6273(23)00129-0)

Provided by Chinese Academy of Sciences

Citation: Scientists elucidate fine neural orchestration of feeding processes for the first time (2023, March 15) retrieved 17 March 2023 from <https://medicalxpress.com/news/2023-03-scientists-elucidate-fine-neural-orchestration.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
