


In Afghanistan, poverty, lack of education associated with dementia

April 4 2023, by Tim Poor



Prevalence of poverty for each of the 16 indicators of deprivation. (a) Shows the prevalence of poverty by indicator and by dementia status alone (b) Shows the prevalence of poverty by indicator, by dementia status and by sex and (c) Shows the prevalence of poverty by indicator, by dementia status and by age group (50–59 years old; 60–69 years old and over 70 years old). Credit: *eClinicalMedicine* (2023). DOI: 10.1016/j.eclinm.2023.101906

Poverty was closely associated with higher rates of dementia among older adults in Afghanistan, according to a newly published study in *eClinicalMedicine* by Jean-Francois Trani, an associate professor at the Brown School.

The results suggest that addressing education, health, employment and living conditions earlier in life can have an impact on [dementia risk](#) in later life, particularly in countries that are frequently in crisis, such as Afghanistan.

"It's important to start now to understand the causes of dementia so we can change policy to benefit people who will age in the coming decades," Trani said. "The problem of dementia is growing in low- and [middle-income countries](#), and we can't explain it just by [genetic factors](#). This research is urgent and it has to be global."

The study was part of a larger project looking at social determinants of health associated with the risk of cognitive impairment and dementia in Afghanistan, Pakistan, and South Africa. The research team collected information among adults over 50 in two Afghan provinces between February and April 2022, examining multiple dimensions of deprivation.

They found that a higher proportion of adults with moderate-to-severe dementia were significantly more deprived of education, health, and employment and were more often distressed compared to adults without dementia. Only 21.8% adults without dementia were poor compared to 33.9% among those with mild dementia and 51.2% among those with moderate-to-severe dementia.

Important contributors to poverty were low education, poor health care access and unemployment, comparable to the team's findings in South Africa. Poorer [older adults](#) in both countries were at higher risk of cognitive impairment and dementia, particularly those over 70 years old.

"Our findings suggest that universal access to free quality education and [health](#) care during the life course might contribute to both prevention and lower dementia severity in later life, particularly in low-income countries in crisis such as Afghanistan, where difficulties are heightened," Trani said.

Further research is needed, he added, to follow people over time to see if the poverty is a factor in causing dementia or simply associated with it.

More information: Jean-Francois Trani et al, Multidimensional poverty is associated with dementia among adults in Afghanistan, *eClinicalMedicine* (2023). [DOI: 10.1016/j.eclinm.2023.101906](https://doi.org/10.1016/j.eclinm.2023.101906)

Provided by Washington University in St. Louis

Citation: In Afghanistan, poverty, lack of education associated with dementia (2023, April 4) retrieved 4 January 2024 from <https://medicalxpress.com/news/2023-04-afghanistan-poverty-lack-dementia.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--