

## Few urologists follow peri-op thromboprophylaxis guidelines

16 August 2013



Among American Urological Association members, self-reported adherence to the Best Practice Statement on the use of thromboprophylaxis in patients undergoing urological procedures is low, according to research published in the September issue of *The Journal of Urology*.

(HealthDay)—Among American Urological Association (AUA) members, self-reported adherence to the Best Practice Statement on the use of thromboprophylaxis in patients undergoing urological procedures is low, according to research published in the September issue of *The Journal of Urology*.

Steve Sterious, M.D., of the Temple University School of Medicine in Philadelphia, and colleagues sent an electronic survey to 10,966 AUA members to assess adherence to the AUA Best Practice Statement on the use of thromboprophylaxis for urological procedures.

The researchers found that, among 1,210 survey responses, the largest group of respondents was urological oncologists and/or laparoscopic/robotic specialists (26.0 percent); this group reported greater use of thromboprophylaxis (odds ratio [OR], 1.3) than non-urological oncologists and/or laparoscopic/robotic specialists. About half of the respondents were aware of the guidelines, and familiarity with the Best Practice Statement was associated with a higher likelihood of use of

thromboprophylaxis (OR, 1.4). Urologists who recently completed residency training (graduating after the year 2000) were significantly more likely to use thromboprophylaxis in high-<u>risk patients</u> undergoing radical cystectomy (79.2 percent) than were earlier graduates (63.4 percent).

"Self-reported adherence to AUA Best Practice Statement was low, even in high risk cases with clear AUA Best Practice Statement recommendations such as radical cystectomy," the authors write. "These data identify opportunities for quality improvement in patients undergoing major urological surgery."

One study author disclosed financial ties to pharmaceutical companies.

More information: <u>Abstract</u> <u>Full Text (subscription or payment may be required)</u>

Copyright © 2013 <u>HealthDay</u>. All rights reserved.



APA citation: Few urologists follow peri-op thromboprophylaxis guidelines (2013, August 16) retrieved 9 August 2022 from

https://medicalxpress.com/news/2013-08-urologists-peri-op-thromboprophylaxis-guidelines.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.