

Decrease in pediatric *S. aureus* infections due to MRSA

March 3 2016



(HealthDay)—The proportion of pediatric *Staphylococcus aureus*

infections due to methicillin-resistant *S. aureus* seems to be decreasing in pediatric populations, according to a study published online March 1 in *Pediatrics*.

Deena E. Sutter, M.D., from the San Antonio Military Medical Center in Fort Sam Houston, Texas, and colleagues examined *S. aureus* susceptibility data for [pediatric patients](#) receiving care in the U.S. Military Health System. They collected microbiology and demographic data for years 2005 through 2014 and examined correlations with antibiotic susceptibilities. Overall, 41,745 *S. aureus* isolates from 39,207 pediatric patients were included in the study.

The researchers found that over the 10-year period there was an overall increase in susceptibility of isolates to oxacillin; in 2014, over 60 percent of isolates were oxacillin-susceptible. Over the study period, *S. aureus* susceptibility to clindamycin decreased; there was a decline from 90 to 83 percent in methicillin-susceptible *S. aureus* susceptibility to clindamycin (P "Similar to recent trends seen in adults, the proportion of pediatric *S. aureus* infections secondary to methicillin-resistant *S. aureus* appear to be decreasing, as is variability in U.S. geographical resistance rates," the authors write. "Increasing clindamycin resistance among methicillin-susceptible *S. aureus* should raise caution in the use of empirical clindamycin in presumed *S. aureus* infection."

More information: [Full Text \(subscription or payment may be required\)](#)

[Editorial \(subscription or payment may be required\)](#)

Copyright © 2016 [HealthDay](#). All rights reserved.

Citation: Decrease in pediatric *S. aureus* infections due to MRSA (2016, March 3) retrieved 22 July 2023 from <https://medicalxpress.com/news/2016-03-decrease-pediatric-aureus-infections->

[due.html](#)

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.