

ASN: Severe acute kidney injury ups risk of 28-day mortality

November 21 2016



(HealthDay)—Acute kidney injury is associated with increased risk of



28-day mortality among critically ill children and young adults, according to a study published online Nov. 18 in the *New England Journal of Medicine*. The research was published to coincide with the annual meeting of the American Society of Nephrology (Kidney Week), held from Nov. 15 to 20 in Chicago.

Ahmad Kaddourah, M.D., from the Cincinnati Children's Hospital, and colleagues conducted a prospective study involving patients admitted to pediatric intensive care units with severe acute kidney injury, defined using the Kidney Disease: Improving Global Outcomes criteria. A total of 4,683 patients aged 3 months to 25 years of age were screened during three consecutive months.

The researchers found that acute kidney injury developed in 1,261 patients (26.9 percent) and severe acute kidney injury developed in 543 patients (11.6 percent). After adjustment for 16 covariates, severe acute kidney injury conferred an increased risk of death by day 28 (adjusted odds ratio, 1.77); death occurred in 11.0 percent of patients with severe acute kidney injury versus 2.5 percent in those without severe acute kidney injury (P acute kidney injury is common and is associated with poor outcomes, including increased mortality, among critically ill children and young adults," the authors write.

More information: Abstract

Full Text
Editorial
More Information

Copyright © 2016 HealthDay. All rights reserved.

Citation: ASN: Severe acute kidney injury ups risk of 28-day mortality (2016, November 21) retrieved 10 December 2023 from



https://medicalxpress.com/news/2016-11-asn-severe-acute-kidney-injury.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.