

E-health-based management of oral anticoagulation Tx beneficial

May 7 2017



(HealthDay)—Electronic-health-based management of oral



anticoagulation (OAC) therapy is associated with fewer adverse events, according to a study published online April 29 in the *Journal of Thrombosis and Haemostasis*.

Jürgen H. Prochaska, M.D., from the University Medical Center Mainz in Germany, and colleagues conducted a prospective multicenter cohort study to compare the clinical outcome of OAC patients managed by an e-health-based coagulation service (CS; 760 individuals) versus regular medical care (RMC; 1,558 individuals).

The researchers found that the primary study end point (composite of thromboembolism, clinically-relevant bleeding, and death) occurred in 15.7 and 7.0 per 100 patient-years in RMC and CS (rate ratio [RR], 2.3; 95 percent confidence interval [CI], 1.7 to 3.1). RMC correlated with higher rates for major and clinically-relevant bleeding than CS (6.8 versus 2.6 and 10.1 versus 3.6 per 100 patient-years, respectively). Comparing RMC and CS, the RR for thromboembolic events was 1.5 (95 percent CI, 0.8 to 2.6). RMC correlated with higher frequency of hospitalization (RR, 2.6; 95 percent CI, 2.3 to 3.0) and all-cause mortality (RR, 4.6; 95 percent CI, 2.8 to 7.7). After adjustment for confounding variables, the hazard ratios significantly favored CS treatment for the primary end point, clinically-relevant bleeding, hospitalization, and all-cause mortality.

"In this study, e-health based management of OAC therapy was associated with a lower frequency of OAC-specific and non-specific adverse events," the authors write.

More information: Abstract

Full Text (subscription or payment may be required)

Copyright © 2017 <u>HealthDay</u>. All rights reserved.



Citation: E-health-based management of oral anticoagulation Tx beneficial (2017, May 7) retrieved 19 November 2023 from

https://medicalxpress.com/news/2017-05-e-health-based-oral-anticoagulation-tx-beneficial.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.