

## **Researchers identify genes in children linked** to stress, bipolar disorder

May 8 2017



Credit: George Hodan/public domain

Genetic alterations that can be modulated by stress have been identified in children at high risk for bipolar disorder, according to a recently published study by researchers at McGovern Medical School at The University of Texas Health Science Center at Houston (UTHealth). Results appeared in *Translational Psychiatry*, a Nature Publishing Group journal.



"We've known that <u>children</u> of patients with <u>bipolar disorder</u> have a higher risk of developing the illness but the biological mechanisms are largely unknown," said Gabriel R. Fries, Ph.D., first author and a postdoctoral research fellow in the Department of Psychiatry and Behavioral Sciences at McGovern Medical School at UTHealth. "By analyzing the blood of children of controls and comparing it to children of bipolar patients, we identified several genes or markers that can explain the increased risk."

Researchers analyzed peripheral blood mononuclear cells from a total of 18 children and adolescents in three matched groups: bipolar patients, unaffected offspring of bipolar parents and children of parents with no history of psychiatric disorders.

The analysis revealed that, compared to children in the control group, bipolar patients and unaffected offspring of bipolar parents had genetic alterations that can influence the response to <u>stress</u>.

"All combine to modulate the response to stress in these children," Fries said. "We know from clinical studies of behavior and the environment that when children are chronically exposed to stressors, they are at a higher risk of developing bipolar disorder. Bipolar parents may struggle because of their disease, leading to higher environmental stress. Their children, because of the genetic markers they have, could be more vulnerable to stress."

The <u>genetic alterations</u> that researchers discovered were validated in blood samples of unrelated adult bipolar patients, Fries said.

New avenues of research could include the effects of reducing environmental stress, as well as whether pharmacological agents might be able to reverse the genetic alternations in vulnerable children before the disorder develops.



## Provided by University of Texas Health Science Center at Houston

Citation: Researchers identify genes in children linked to stress, bipolar disorder (2017, May 8) retrieved 1 January 2024 from <u>https://medicalxpress.com/news/2017-05-genes-children-linked-stress-bipolar.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.