

Low awareness of breast cancer overdiagnosis and overtreatment among US women

September 14 2017

Did you know that routine mammograms can lead to overdiagnosis and overtreatment of breast cancer? Most American women aren't aware of these risks of breast cancer screening, reports a study in the October issue of *Medical Care*.

What's more, most [women](#) don't find statements about breast [cancer overdiagnosis](#) and overtreatment to be "believable or persuasive," according to the new research by Rebekah H. Nagler, PhD, of University of Minnesota, Minneapolis, and colleagues. The findings underscore the challenges of accurately communicating these risks so that women can make informed decisions about mammograms and breast cancer screening.

Less Than 20 Percent of US Women Know About Overdiagnosis and Overtreatment

The survey study sought to assess women's awareness and perceptions of overdiagnosis and overtreatment—two of the main potential harmful effects of breast cancer screening. Overdiagnosis refers to detection of cancers that grow so slowly that they would never have caused any health problems during a woman's lifetime. Overdiagnosis often leads to overtreatment, which refers to unnecessary treatments (such as surgery or medications) that expose women to side effects with minimal health benefits.

"Although it is difficult to pinpoint just how common cancer overdiagnosis is...there is growing expert consensus that the phenomenon is real and may require a re-evaluation of aggressive screening strategies," Dr. Nagler and coauthors write. The authors argue that it is important for patients to understand potential harms such as overdiagnosis and overtreatment so that they can carefully consider whether and when to begin breast cancer screening.

The study was a survey of a nationally representative sample of 429 US women, aged 35 to 55. Only 16.5 percent were aware of the potential risk of overdiagnosis from breast cancer screening, while 18.0 percent were aware of the concept of overtreatment. Women younger than 40 were least likely to have heard about overdiagnosis.

When presented with statements regarding overdiagnosis and overtreatment, most women had negative perceptions. "Fewer than 1 in 4 agreed with and found statements about overdiagnosis and overtreatment to be believable, and even fewer evaluated them as strong arguments to consider in their own mammography decision making," Dr. Nagler and coauthors write.

Women who had recently had a mammogram were "particularly unconvinced" by these statements. Women with a usual source of [medical care](#) were also less likely to believe statements regarding overdiagnosis.

Dr. Nagler and colleagues believe their findings have implications for communicating with patients about the potential harms of [breast](#) cancer screening. In particular, women with a strong history of following advice to get mammograms might be an important target for interventions to improve informed decision-making.

Given evidence that many women view [breast cancer screening](#)

favorably, it may be challenging for providers to communicate with patients about its potential harms. Dr. Nagler and coauthors conclude: "Rigorous health communication research is necessary to inform communication interventions that could improve patient understanding of overdiagnosis and overtreatment [and] promote appropriate use of [screening](#)."

More information: Rebekah H. Nagler et al, Women's Awareness of and Responses to Messages About Breast Cancer Overdiagnosis and Overtreatment, *Medical Care* (2017). [DOI: 10.1097/MLR.0000000000000798](#)

Provided by Wolters Kluwer Health

Citation: Low awareness of breast cancer overdiagnosis and overtreatment among US women (2017, September 14) retrieved 20 November 2023 from <https://medicalxpress.com/news/2017-09-awareness-breast-cancer-overdiagnosis-overtreatment.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.