

# Effect of shock wave treatment for erectile dysfunction wanes

23 June 2018



diabetes there was a 76 percent chance that the beneficial effect of low-intensity shock wave treatment would be preserved after two years.

"Low-intensity shock wave treatment is effective in the short term but treatment efficacy was maintained after two years in only half of the patients," the authors write. "In [patients](#) with milder forms of [erectile dysfunction](#) the [beneficial effect](#) is more likely to be preserved."

**More information:** [Abstract/Full Text](#)

Copyright © 2018 [HealthDay](#). All rights reserved.

(HealthDay)—Low-intensity shock wave treatment is effective for short-term treatment of erectile dysfunction, but its efficacy declines after two years, particularly in those with initial severe dysfunction, according to a study published in the July issue of *The Journal of Urology*.

Noam D. Kitrey, M.D., from Sheba Medical Center in Ramat Gan, Israel, and colleagues studied the long-term efficacy of penile low intensity shock wave [treatment](#) two years after an initially successful outcome among 156 patients.

The researchers found that at one month, treatment was successful in 99 patients (63.5 percent), but during follow-up a gradual decrease in efficacy was observed. At two years, the beneficial effect was maintained in only 53.5 percent of patients in whom success was initially achieved. Over follow-up the treatment effect was lost in all patients with diabetes who initially had severe erectile dysfunction. However, for patients with milder forms of erectile dysfunction without

APA citation: Effect of shock wave treatment for erectile dysfunction wanes (2018, June 23) retrieved 27 August 2022 from

<https://medicalxpress.com/news/2018-06-effect-treatment-erectile-dysfunction-wanes.html>

*This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.*