

Meditation needs more research: Study finds 25 percent suffer unpleasant experiences

9 May 2019



Credit: CC0 Public Domain

More than a quarter of people who regularly meditate have had a 'particularly unpleasant' psychological experience related to the practice, including feelings of fear and distorted emotions, a UCL-led study has found.

The research, published in *PLOS ONE*, also found those who had attended a <u>meditation</u> retreat, those who only practiced deconstructive types of meditation, such as Vipassana (insight) and Koan practice (used in Zen Buddhism), and those with higher levels of repetitive negative thinking, were more likely to report a 'particularly unpleasant' meditation-related experience.

However, the study, which comprised an international online survey of 1,232 people who had at least two months' meditation experience, found <u>female participants</u> and those with a religious belief were less likely to have had a 'particularly unpleasant' experience.

Lead author, researcher Marco Schlosser, (UCL Division of Psychiatry), said: "These findings point to the importance of widening the public and scientific understanding of meditation beyond that of a health-promoting technique.

"Very little is known about why, when, and how such meditation-related difficulties can occur: more research is now needed to understand the nature of these <u>experiences</u>.

"When are unpleasant experiences important elements of meditative development, and when are they merely negative effects to be avoided?"

The study, conducted with researchers at Witten/Herdecke University, Germany, and the University of Ljubljana, Slovenia, was triggered by a limited but growing number of research reports and case studies, which indicate psychologically unpleasant experiences can occur during meditative practice. Some traditional Buddhist texts also reference vivid accounts of similar experiences.

However, very little is known about the prevalence of these experiences.

Participants answered the following question: "Have you ever had any particularly unpleasant experiences (e.g. anxiety, fear, distorted emotions or thoughts, altered sense of self or the world), which you think may have been caused by your meditation practice?".

Meditators also reported how long they had been practicing meditation and the frequency of practice, whether they had attended a meditation retreat at any point in their life and what form of meditation they practiced (attentional, constructive, or deconstructive). They also completed measures of



repetitive negative thinking and self-compassion.

Results

- Of the 1,232 participants, 25.6% indicated that they had previously encountered particularly unpleasant meditation-related experiences.
- a particularly unpleasant experience. compared to 23% of female participants.
- 30.6% of those who did not have a religious belief had a particularly unpleasant had a religious belief.
- More people, 29.2%, who practiced only deconstructive types of meditation reported a particularly unpleasant experience, compared to 20.3% who only engaged in other meditation types.
- And 29% of those who had been on a meditation retreat (at any point in life) had a particularly unpleasant experience, compared with 19.6%, who had never been on a retreat.

Marco Schlosser added: "Most research on meditation has focussed on its benefits, however, the range of meditative experiences studied by scientists needs to be expanded. It is important at this point not to draw premature conclusions about the potential negative effects of meditation.

"Longitudinal studies will help to learn when, for whom, and under what circumstances these unpleasant experiences arise, and whether they can have long-term effects. This future research could inform clinical guidelines, mindfulness manuals, and meditation teacher training."

Study limitations

The study only asked one question to capture prevalence of particularly unpleasant meditationrelated experiences. The data does not provide any indication of the exact type of experiences or their severity and impact. Further, including a list of specific examples (i.e., anxiety, fear, distorted emotions or thoughts, altered sense of self or the world) in the question about these experiences may

have biased participants' responses towards recalling these particular experiences over others.

The study did not assess possible pre-existing mental health problems, which could have confounded the prevalence estimate of particularly unpleasant meditation-related experiences.

• More male participants, 28.5%, experienced The cross-sectional nature of the data does not allow researchers to clearly infer whether meditation caused these experiences.

More information: Unpleasant meditation-related experience, compared to 22% of those who experiences in regular meditators: Prevalence, predictors, and conceptual considerations, PLOS ONE (2019). DOI: 10.1371/journal.pone.0216643

Provided by University College London



APA citation: Meditation needs more research: Study finds 25 percent suffer unpleasant experiences (2019, May 9) retrieved 27 September 2022 from https://medicalxpress.com/news/2019-05-meditation-percent-unpleasant.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.