


Discovery of the cell fate switch from neurons to astrocytes in the developing brain

21 June 2019




which give rise to almost all cells in the cerebral cortex (Figure 1). One of the characteristics of this developmental process is that neural stem cells first generate neurons and, after that, start generating astrocytes (Figure 1). The "switch" to change the cell differentiation fate of neural stem cells from neurons to astrocytes has attracted much attention, since the cell fate switch is key to the generation of proper numbers of neurons and astrocytes. However, it remained largely unknown.

In the process of fetal brain development, neural stem cells generate both neurons and astrocytes. Neurons are formed first (left) and astrocytes later (right). The present study has revealed the cell fate switch from neurons to astrocytes to be FGF signaling. Credit: Kanazawa University

During mammalian brain development, neural precursor cells first generate neurons and later astrocytes. This cell fate change is a key process generating proper numbers of neurons and astrocytes. Here we discovered that FGF regulates the cell fate switch from neurons to astrocytes in the developing cerebral cortex using mice. FGF is a critical extracellular regulator of the cell fate switch, necessary and sufficient, in the mammalian cerebral cortex.

Neurons and astrocytes are prominent cell types in the [cerebral cortex](#). Neurons are the primary information processing cells in the [brain](#), whereas astrocytes support and modulate their functions. For sound functioning of the brain, it is crucial that proper numbers of neurons and astrocytes are generated during fetal brain development. The brain could not function correctly if only neurons or astrocytes were generated.

During fetal brain development, both neurons and astrocytes are generated from [neural stem cells](#),




Under the condition where neural stem cells give rise to neurons (arrows, left), activation of FGF signaling caused generation of more astrocytes (arrowhead, right). Credit: Kanazawa University

The research group at Kanazawa University shows that the switch determining the fate of two types of cells in the cerebral cortex generated from neural stem cells is based on the FGF signaling pathway (Figure 1). More specifically, it was found that enhancement of FGF signaling by introducing FGF in the cerebral cortex caused cells destined to become neurons to be differentiated into astrocytes (Figures 2, 3). On the other hand, suppression of FGF signaling caused cells destined to become

astrocytes to be differentiated into neurons (Figure 3). The present study has thus elucidated the mechanism responsible for determining the correct numbers of neurons and astrocytes during development of the fetal brain.

astrocytes by determining which disorders are based on abnormal FGF signaling.

More information: Tung Anh Dinh Duong et al, FGF signaling directs the cell fate switch from neurons to astrocytes in the developing mouse cerebral cortex, *The Journal of Neuroscience* (2019). DOI: [10.1523/JNEUROSCI.2195-18.2019](https://doi.org/10.1523/JNEUROSCI.2195-18.2019)



Provided by Kanazawa University

Activation of FGF signaling causes fewer neurons to be generated (upper left) but more astrocytes are formed (upper right). On the other hand, when FGF signaling is inhibited, more neurons are generated (lower left) but fewer astrocytes (lower right). Credit: Kanazawa University

The research group has discovered the switch that determines the fate of cells in the developing cerebral cortex generated from neural stem [cells](#), i.e. neurons and astrocytes; this switch involves the FGF signaling pathway. This may be relevant for understanding the pathology of brain disorders caused by unbalanced numbers of [neurons](#) and

APA citation: Discovery of the cell fate switch from neurons to astrocytes in the developing brain (2019, June 21) retrieved 17 June 2021 from <https://medicalxpress.com/news/2019-06-discovery-cell-fate-neurons-astrocytes.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.