

## Fewer children receiving care at family medicine practices

September 13 2019



(HealthDay)—From 2009 to 2016, there was a decrease in the



proportion of children seen at family physician (FP) practices, according to a study published in the September/October issue of the *Annals of Family Medicine*.

Richard C. Wasserman, M.D., M.P.H., from the University of Vermont in Burlington, and colleagues conducted a retrospective longitudinal analysis of all payer claims from 2009 to 2016 for children aged 0 to 21 years. Data were included for 184,794 children with two or more claims. The proportion of children seen at FP practices and pediatrician practices was examined over time.

The researchers found that children were 5 percent less likely to be attributed to an FP practice over time when controlling for all other covariates. The odds of attribution to an FP practice increased as children aged (odds ratio, 1.11), if they were female (odds ratio, 1.05), or if they had Medicaid (odds ratio, 1.09). Children from large rural cities, small rural towns, or isolated/small rural towns had higher odds of FP attribution than urban children (odds ratios, 1.54, 1.45, and 1.96, respectively). Children had 3 percent lower odds of attending an FP practice in urban areas and 8 percent lower odds in isolated/small rural towns when stratified by Rural Urban Commuting Area category.

"This study confirms the findings of previous studies and yields new information about the influence of the rurality of the child's residence and of child's age, sex, and insurance status on the type of practice they are receiving primary preventative medical care from," the authors write.

**More information:** Abstract/Full Text

Copyright © 2019 HealthDay. All rights reserved.



Citation: Fewer children receiving care at family medicine practices (2019, September 13) retrieved 27 April 2023 from

https://medicalxpress.com/news/2019-09-children-family-medicine.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.