

## How sleep makes the brain forget things: New research on mice

20 September 2019, by Giuliana Mazzoni



Neurons in a rodent brain. Credit: <u>Heiti</u> <u>Paves/shutterstock</u>

What a nuisance is a faulty memory. How many times have you forgotten where you parked the car? A few years ago, probably as a sign that my retirement was overdue, I spent literally half a day trying to find my car at a major New York airport. Fortunately, I am not alone. When people find out I am an expert on memory, the first thing they ask me is normally whether I can help them be less forgetful.

Indeed, excessive forgetting is a major problem, but "normal" forgetting is actually necessary. After all, it is more crucial to remember what is important right now than to remember everything. There's no point in remembering the phone number of the house you lived in 10 years ago—that may in fact block your memory for your current phone number.

But exactly how the brain forgets unnecessary memories has long been unclear. Now a beautiful and rather exhaustive series of studies, just published in *Science*, offers a clue.

Research does indeed show that, in order to remember what is important, <u>we need to forget</u> <u>what isn't important</u>. This can happen at two levels

in the brain, a "cleaning" of irrelevant information as we retain and consolidate our memories, and a "blocking" of irrelevant information when we try to retrieve a memory. The <u>positive effect</u> on memory of <u>blocking irrelevant information</u> has been known since the 1950s.

The new study, which was carried out in mice, seems to finally reveal the secret mechanisms of forgetting during retention of memory. The authors claim that forgetting is due to the activation of specific "melatonin-concentrating hormone (MCH) neurons" located in the brain's <u>hypothalamus</u>, which is involved in releasing hormones. We know that melatonin affects sleep—and MCH neurons are indeed involved in the shift between the two main sleep cycles: NREM to REM (REM sleep commonly associated with dreaming).



Credit: panoji.com

The authors demonstrate that forgetting happens only during retention (not when we encode or retrieve memories), and that sleep is the period of the day when MCH neurons clean the memory of all the irrelevant clutter. They obtained the results



by injecting chemicals into the brain of mice in order to inhibit these very neurons. Amazingly, the mice performed better on two specific memory tasks as a result—recognising new objects and a fear conditioning test (this involves making association between stimuli and their adverse consequences).

What's more, when the researchers completely removed these neurons from the brain, the mice's memory also improved, over the long term. On the other hand, a boosted activity of these neurons instead hindered the mice's memory performance. The researchers therefore argue that the neuronal process may one day be used to treat memory problems.

This finding, if true and confirmed by other studies, represents a major breakthrough in understanding a fundamental memory mechanism. The methodology is rigorous and results convincing. There are some caveats though. How can we be absolutely sure that these neurons are involved in cleaning out irrelevant information in particular, rather than just impairing memory performance?

It seems that MCH neurons, when activated, just impair memory—and not necessarily with a good effect. This is important: the results do not say much about the positive role of forgetting during retention. In addition, whose memory are we talking about here? Mice memory—and necessarily so, given the highly invasive nature of most of the reported experiments. While animal models are indispensable for memory studies, it is too early to extend these findings to human memory.

Credit: Stock-Asso/Shutterstock

For example, in humans the role of sleep in memory is still unclear. Also, forgetting occurs during retrieval of memories too and that is not explained by this new research.

Nevertheless, the new study does show for the first time that MCH neurons are strongly involved in making <u>memory</u> worse. That said, while we are on an exciting track thanks to this research, it is highly unlikely that we can improve <u>human memory</u> for a parked car by simply inhibiting a few <u>neurons</u>.

**More information:** Shuntaro Izawa et al. REM sleep–active MCH neurons are involved in forgetting hippocampus-dependent memories, *Science* (2019). DOI: 10.1126/science.aax9238

This article is republished from <u>The Conversation</u> under a Creative Commons license. Read the <u>original article</u>.

Provided by The Conversation





APA citation: How sleep makes the brain forget things: New research on mice (2019, September 20) retrieved 25 October 2022 from <u>https://medicalxpress.com/news/2019-09-brain-mice.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.