

Brain injury from concussion may linger longer than one year after return to play

October 16 2019



Credit: CC0 Public Domain

How long does it take an athlete to recover from a concussion? New research has found an athlete's brain may still not be fully recovered one year after being allowed to return to play. The study is published in the

October 16, 2019, online issue of *Neurology*, the medical journal of the American Academy of Neurology.

"There is growing evidence that recovery from a concussion may not be complete even when symptoms such as headache and dizziness are gone and the [athlete](#) is allowed to return to play, so it is important to determine if various aspects of the [brain injury](#) resolve over time or are perhaps permanent," said study author Nathan W. Churchill, Ph.D., of St. Michael's Hospital in Toronto, Canada. "Our research looked at the brain one year after return to play in a group of college athletes and found that evidence of brain injury from concussion remained in some parts of the brain."

The study involved 24 college athletes with concussion and 122 without concussion. Men and women were equally represented in both groups. Participants competed in the following sports: volleyball, hockey, soccer, football, rugby, basketball, lacrosse and water polo.

Researchers used magnetic resonance imaging (MRI) to scan the brains of the athletes. For athletes with concussion, the first scan was performed an average of four days after injury. The second scan occurred when the athlete was cleared to return to play. The third scan was performed one year after return to play. Athletes who did not have concussion also had one brain scan at the start of their seasons. Brain scans of the concussed athletes were then compared to the brain scans of the healthy athletes.

Researchers found that the brain scans of concussed athletes still showed signs of brain injury when they were allowed to return to play, but in addition, they found evidence of brain injury an entire year after return to play.

When compared to healthy athletes, those who returned to play after

concussion had significantly reduced [blood flow](#) in the brain one year later. Specifically, concussed athletes had an average decrease in blood flow of 10 milliliters per 100 grams of blood per minute compared to healthy athletes. When examining brain scans that map how water molecules move in the white matter of the brain, researchers also found the brains of concussed athletes still showed possible signs of tissue swelling one year after return to play.

However, it is important to note that researchers also found that measurements of brain connectivity had returned to normal one year after return to play. This included measurements of both the patterns of resting brain activity in the brain's grey matter and measurements of the lines of communication in the brain's white matter.

These long-term effects of concussion in the brain depended on the severity of an athlete's symptoms and how long it took an athlete to return to play.

"The principal finding of this study was that different aspects of brain physiology have different patterns of long-term recovery," said Dr. Churchill. "These findings significantly enhance our understanding of the natural course of brain recovery after a concussion. Future studies are needed to look beyond one year after return to play to see if these longer-term brain injuries eventually heal or remain permanent."

A limitation of the study was that athletes with concussion had brain scans only after their injury and not before injury, although each athlete was carefully matched to a group of uninjured athletes, based on age, sex and previous history of [concussion](#).

Provided by American Academy of Neurology

Citation: Brain injury from concussion may linger longer than one year after return to play (2019, October 16) retrieved 16 February 2023 from <https://medicalxpress.com/news/2019-10-brain-injury-concussion-linger-longer.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.