


## Functional outcomes similar across localized prostate cancer treatments

February 19 2020



(HealthDay)—Most functional differences associated with contemporary



management of localized prostate cancer attenuate by five years, according to a study published in the Jan. 14 issue of the *Journal of the American Medical Association*.

Karen E. Hoffman, M.D., from University of Texas MD Anderson Center in Houston, and colleagues compared functional outcomes associated with <u>prostate cancer</u> treatments over five years after treatment using data from five Surveillance, Epidemiology and End Results Program sites and a U.S. prostate cancer registry. The analysis included 1,386 men with favorable-risk and 619 men with unfavorable-risk prostate cancer.

The researchers found that for men with favorable-risk prostate cancer, nerve-sparing prostatectomy was associated with worse urinary incontinence at five years and sexual function at three years versus active surveillance. Low dose-rate brachytherapy was associated with worse urinary irritative, sexual, and bowel function at one year versus active surveillance. While external beam radiation therapy (EBRT) was associated with urinary, sexual, and bowel function changes, they were not clinically different from active surveillance at any time point through five years. For men with unfavorable-risk disease, EBRT with androgen deprivation therapy was associated with lower hormonal function at six months and bowel function at one year but better sexual function at five years and better incontinence function at each time point through follow-up versus prostatectomy.

"These estimates of the long-term bowel, bladder and <u>sexual function</u> after localized <u>prostate</u> cancer treatment may clarify expectations and enable men to make informed choices about care," the authors write.

One author disclosed financial ties to the pharmaceutical industry.

More information: Abstract/Full Text (subscription or payment may



## be required)

Copyright © 2020 HealthDay. All rights reserved.

Citation: Functional outcomes similar across localized prostate cancer treatments (2020, February 19) retrieved 4 February 2024 from <a href="https://medicalxpress.com/news/2020-02-functional-outcomes-similar-localized-prostate.html">https://medicalxpress.com/news/2020-02-functional-outcomes-similar-localized-prostate.html</a>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.