

Vitamin D could help fight off COVID-19

April 6 2020, by Catherine O'mahony



cloud cover, rainy weather and a lack of sunshine.

The good news is that deficiency can be remedied by adequate intake of foods and by supplementation. Vitamin D is readily found in foods like eggs, liver and oily fish—such as salmon or mackerel—as well as fortified foods such as cereals and dairy products.

Is the Irish population getting enough?

TILDA researchers have found there is insufficient daily intake of the <u>vitamin</u> across Ireland.

Some of TILDA's key findings are:

Credit: CC0 Public Domain

Researchers from The Irish Longitudinal Study on Ageing (TILDA) at Trinity College Dublin have released a crucial report today in response to the COVID-19 pandemic.

The report, "Vitamin D deficiency in Ireland—implications for COVID-19. Results from the Irish Longitudinal Study on Ageing (TILDA)," finds that Vitamin D plays a critical role in preventing respiratory infections, reducing antibiotic use, and boosting the immune system response to infections.

With one in eight Irish adults under 50 deficient in Vitamin D, the report highlights the importance of increasing intake.

How is Vitamin D produced?

Vitamin D is produced in the skin by exposing the body to just 10-15 minutes per day of sun. In Ireland Vitamin D can only be made between late March and late September. It cannot be made in winter, and the amount that we make in summer depends on how much sun we get, weather and other factors. Even in summer, getting a sufficient amount of Vitamin D can pose a challenge due to

- 47% of all adults over 85 are deficient in winter
- 27% of adults over 70 who are 'cocooning' are estimated to be deficient
- 1 in 8 adults over 50 are deficient all year round
- Only 4% of men and 15% of women take a Vitamin D supplement

Who is most at risk of Vitamin D deficiency?

People who get little sun exposure or eat inadequate amounts of fortified foods are most at risk, especially those who are currently housebound or confined to their homes. Other people who fall into the high-risk category are those who are obese or physically inactive, and those that have asthma or chronic lung disease.

Vitamin D is available without prescription. What is needed now is for people to increase their Vitamin D intake, especially as supplementation is low across the nation, and particularly low in men.

What is the recommended intake for Vitamin D?

TILDA researchers recommend that adults over 50 should take supplements—not just in winter, but all year round if they don't get enough sun. Those who are 'cocooning' at present should also take



supplements.

Professor Rose Anne Kenny, principal investigator of TILDA, said: "We have evidence to support a role for Vitamin D in the prevention of chest infections, particularly in older adults who have low levels. In one study Vitamin D reduced the risk of chest infections to half in people who took supplements. Though we do not know specifically of the role of Vitamin D in COVID infections, given its wider implications for improving immune responses and clear evidence for bone and muscle health, those cocooning and other at-risk cohorts should ensure they have an adequate intake of Vitamin D. Cocooning is a necessity but will reduce physical activity. Muscle deconditioning occurs rapidly in these circumstances and Vitamin D will help to maintain muscle health and strength in the current crisis."

Dr. Eamon Laird, research fellow in medical gerontology and co-author of the report, said: "These findings show our older adults have high levels of vitamin D deficiency which could have a significant negative impact on their immune response to infection. There is an even larger risk now of deficiency with those cocooning or confined indoors. However, vitamin D deficiency is not inevitable—eating foods such as oily fish, eggs, vitamin D fortified cereals or dairy products and a daily 400 IU (10ug) vitamin D supplement can help avoid deficiency. However, Ireland needs a formal vitamin D food policy/recommendation, which we are still lacking-for instance Finland has such a policy and has virtually eliminated deficiency in their population."

More information: Vitamin D deficiency in Ireland—implications for COVID-19. Results from the Irish Longitudinal Study on Ageing (TILDA). <u>tilda.tcd.ie/publications/repo ...</u> <u>Covid19VitaminD.pdf</u>

Provided by Trinity College Dublin APA citation: Vitamin D could help fight off COVID-19 (2020, April 6) retrieved 10 December 2022 from <u>https://medicalxpress.com/news/2020-04-vitamin-d-covid-.html</u>



This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.