

Association Journal).

The study of more than 188 000 women in Alberta found that TSH testing was performed in more than half (111 522 or 59%) of all pregnant women who did not have thyroid disease before pregnancy. Testing was most commonly done around gestational week 5-6.

"The practice of TSH testing early in the first trimester may be resulting in overdiagnosis and unnecessary thyroid hormone therapy during and after pregnancy," writes Dr. Lois Donovan, an endocrinologist at the Cumming School of Medicine, University of Calgary, with coauthors.

The challenge with TSH screening in pregnancy is that it identifies many women with very minor elevations in TSH, which is known as subclinical hypothyroidism. The best evidence shows no benefit for the mother or child from treatment of [pregnant women](#) with subclinical hypothyroidism.

In 5050 (4.5%) pregnancies with TSH testing, [women](#) were started on thyroid hormone therapy; most (99%) received levothyroxine. Almost half of them (44.6%) continued with the treatment after giving birth, and almost one-third (31.5%) received 2 or more prescriptions in the first postpartum year.

"This raises concerns about overmedicalization during pregnancy, given that minor, untreated TSH elevation usually normalized, as indicated by repeat measurement," write the authors. "The frequent postpartum continuation of thyroid hormone therapy for those who started it during pregnancy adds to this concern."

Evidence-based [clinical practice guidelines](#) are needed to provide clinicians with the appropriate approach to decide whether and when TSH testing is required in [pregnancy](#) and when it is necessary to continue

treatment in the postpartum period.

More information: *Canadian Medical Association Journal* (2020).
www.cmaj.ca/lookup/doi/10.1503/cmaj.191664

Provided by Canadian Medical Association Journal

Citation: Thyroid dysfunction in pregnancy being overdiagnosed, overtreated (2020, June 1) retrieved 17 May 2023 from <https://medicalxpress.com/news/2020-06-thyroid-dysfunction-pregnancy-overdiagnosed-overtreated.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.