


Method to identify neural inputs that convey information for defined behaviors

3 June 2020



The scheme shows the TRACE method that labels active inputs to a specific brain area through a retrograde labelling activity depended viral approach. Credit: Nathalie Krauth

A major interest in brain research is understanding behavioral experiences at the synaptic and circuit level. However, gaining insight into the neural circuits that underlie a specific behavioral experience is a challenge. The perplexity lies in defining which of the large number of neuronal inputs a specific region of the brain receives expresses a defined behavior, and yet there are no direct methods available to overcome this challenge.

Today, a common mapping approach in neuroscience is to use retrograde tracing viruses and identify all neuronal inputs in a population of neurons in a specific region of the brain. But neuroscientists are still left to rely on their experience, knowledge and previous findings to isolate specific inputs that underlie a defined behavior.

A collaborative study led by circuitry experts at the department of Molecular Biology and Genetics, department of Biomedicine and centre of Proteins in Memory unravel a new approach—an unbiased and accurate strategy that selectively tags arriving

inputs that are activated by a defined stimulus and projected to a particular brain region. The researchers developed an approach called TRACE by which a retrograde virus is combined with a Cre-recombinase that is under the control of an activity-dependent promoter to express a fluorescent marker in input neurons.

Using mouse models, the Nabavi and Capogna group have demonstrated the input specificity of their novel approach on four brain [circuits](#) receiving defined sensory inputs. Researchers performed behavioral testing using optogenetic stimulation, odor-driven innate fear detection and shock-induced circuit experiments. They also performed imaging of brain slices to investigate specific neural activity.

Their findings show that TRACE can identify active sensory neural inputs that underlie a defined behavior. This new labeling system is an additional tool to gain access to neurons in the [brain](#) that are activated by a particular stimulation or experience.

More information: Nathalie Krauth et al, TRACE: An Unbiased Method to Permanently Tag Transiently Activated Inputs, *Frontiers in Cellular Neuroscience* (2020). [DOI: 10.3389/fncel.2020.00114](#)

Provided by Aarhus University

APA citation: Method to identify neural inputs that convey information for defined behaviors (2020, June 3) retrieved 11 August 2022 from <https://medicalxpress.com/news/2020-06-method-neural-convey-behaviors.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.