

Inverted U-shaped link seen for sleep duration, cognitive decline

September 21 2020



(HealthDay)—There is an inverted U-shaped association between sleep



duration and global cognitive decline, according to a study published online Sept. 21 in *JAMA Network Open*.

Yanjun Ma, from the Peking University First Hospital in Beijing, and colleagues examined the association between sleep duration and <u>cognitive decline</u> by a pooled analysis of two nationally representative cohorts. Data were obtained from waves 4 to 8 of the English Longitudinal Study of Ageing (9,254 individuals; ≥50 years) and waves 1 to 3 of the China Health and Retirement Longitudinal Study (10,811 individuals; ≥45 years).

The researchers found that after adjustment for a number of covariates, during 100,000 person-years of follow-up, the global cognitive z-scores declined faster for individuals with four hours or less (pooled β = -0.022) and 10 hours or more (pooled β = -0.033) of sleep per night compared with the reference group (seven hours per night). There was also an inverted U-shaped association for sleep duration and global cognitive decline.

"The inverted U-shaped association indicates that cognitive function should be monitored in middle-aged and older individuals with insufficient or excessive sleep duration. Future mechanism studies and intervention studies examining the association between <u>sleep duration</u> and cognitive decline are needed," the authors write.

More information: Abstract/Full Text

Editorial

Copyright © 2020 HealthDay. All rights reserved.

Citation: Inverted U-shaped link seen for sleep duration, cognitive decline (2020, September 21) retrieved 25 February 2023 from https://medicalxpress.com/news/2020-09-inverted-u-shaped-



link-duration-cognitive.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.