


Awakening after a sleeping pill: Restoring functional brain networks after severe brain injury

October 2 2020



Credit: Pixabay/CC0 Public Domain

A patient who could not move and talk spontaneously for eight years started to do so again after being administered a sleeping pill. The spectacular but temporary effect was visualized with brain scans, giving researchers from Radboud university medical center and Amsterdam UMC a better understanding of this disorder's underlying

neurophysiological processes. The article has been published in *Cortex*.

Eight years ago, Richard, at the time a man in his late 20s, was hospitalized after a serious lack of oxygen. He survived but suffered a severe brain [injury](#). Richard was no longer able to talk, eat independently, or move spontaneously. He was admitted to a specialized nursing home.

Willemijn van Erp, an elderly care physician and researcher at Radboud university [medical center](#), was still in training when she met Richard. "It was clear that Richard saw and heard us," she says, "but because of his brain injury, he was barely able to respond to us." This rare condition is known as akinetic mutism. Akinetic means that the patient is no longer able to move consciously. Mutism refers to the absence of speech.

There is a small chance that patients with this condition will temporarily recover after administering the Zolpidem sleeping medication. Van Erp said, "Because Richard's situation seemed hopeless, the family and I decided to administer this medication to Richard. Against all expectations, Zolpidem had remarkable effects. After taking the sleep pill, Richard started talking, wanted to call his father, and started recognizing his brothers again. With some help, he could even get up from his wheelchair and walk short distances."

Researchers at Amsterdam UMC, including neurosurgeon resident Hisse Arnts, have used [brain scans](#) to demonstrate the differences between the two situations. This provided them with information that could be important for Richard and other patients with severe non-congenital brain injuries. Arnts commented, "Richard's brain scans show overactivity in certain parts of the brain. This overactivity causes noise and somehow shuts down the 'good brain activity'. We have discovered that administering this sleeping medication can suppress this unwanted brain overactivity, creating space for speech and movement."

The researchers presented their findings and a video of Richard in the journal *Cortex*. The research has since continued. Zolpidem's positive effects have a limited duration, which is why the researchers are now looking for a more permanent solution for Richard and other patients with this specific form of severe [brain](#) injury.

More information: Hisse Arnts et al, Awakening after a sleeping pill: Restoring functional brain networks after severe brain injury, *Cortex* (2020). [DOI: 10.1016/j.cortex.2020.08.011](https://doi.org/10.1016/j.cortex.2020.08.011)

Provided by Radboud University

Citation: Awakening after a sleeping pill: Restoring functional brain networks after severe brain injury (2020, October 2) retrieved 23 November 2023 from <https://medicalxpress.com/news/2020-10-awakening-pill-functional-brain-networks.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.