

COVID leaves most pro athletes with no lasting heart damage

March 4 2021, by Steven Reinberg Healthday Reporter



In some reassuring news for professional athletes, a new study finds very



few develop inflammatory heart disease after being infected with COVID-19, and most can safely return to play.

In fact, of nearly 800 professional athletes who had tested positive, less than 1% were barred from returning to play because of <u>heart</u> damage from COVID-19, researchers said.

"These findings reinforce the previous recommendation that asymptomatic and mild cases of COVID-19 don't require additional testing in the majority of cases," said lead researcher Dr. Matthew Martinez, director of Atlantic Health System Sports Cardiology at Morristown Medical Center in New Jersey.

"So, most folks are going to have asymptomatic or mild COVID-19, and they don't necessarily benefit from additional testing to look for cardiovascular involvement," he said.

These are the recommendations that most professional sports teams are following, Martinez said. "Many of the NCAA schools are doing the same," he added.

Among the players in the study, 58% had symptomatic COVID-19, and 42% were asymptomatic or minimally symptomatic.

Heart inflammation was found in 30 athletes with ECG tests, echocardiograms, heart MRIs or tests of troponin in the blood, which can reveal heart damage. Ultimately, inflammatory heart disease was discovered in five athletes that warranted restriction from playing.

For most of these athletes, a week to two weeks of rest and a slow return to exercise was all that was needed to get back to play, said Martinez, who is also a cardiology consultant for the National Basketball Players Association, the New York Jets, Major League Soccer, the Professional



Golfers Association, and the National Football League.

It may help that these athletes were in top physical condition before getting the virus, he noted. For athletes who have severe COVID-19, at least three months of recovery time is recommended, Martinez said.

"For nonprofessional athletes, if you have the disease and if you're otherwise healthy, the need for additional testing is not important," he said. "Once you are asymptomatic, start to slowly resume exercise as you would with any other virus."

Martinez said the researchers will continue to follow these athletes, even though the damage caused to the heart by the virus usually repairs itself.

"It's really important that we recognize we don't really know the longer effects of COVID-19, so we do plan to follow all the athletes," Martinez said. "They're all in a database, so every week we can follow them."

Dr. Gregg Fonarow, interim chief of the division of cardiology at the University of California, Los Angeles, and director of the Ahmanson-UCLA Cardiomyopathy Center, looked over the study and said that early reports suggested there may be cardiac injury and inflammation with COVID-19.

"However, the degree to which injury, inflammation or myocarditis could occur in individuals after asymptomatic or mildly asymptomatic COVID-19 infections has not been well-studied," Fonarow noted.

The latest findings suggest "that among this population of professional athletes, only a small proportion of individuals had findings suggesting inflammatory heart disease after COVID-19," he said.

The current guidelines of the American College of Cardiology Sports



and Exercise Section Return to Play for athletes who have had COVID-19 are supported by this study, Fonarow added.

"Additional studies in pediatric, college and master-level athletes would be informative," he said.

The report was published online March 4 in the journal *JAMA Cardiology*.

More information: For more on the long-term effects of COVID-19, see the <u>U.S. Centers for Disease Control and Prevention</u>.

Matthew W. Martinez et al, Prevalence of Inflammatory Heart Disease Among Professional Athletes With Prior COVID-19 Infection Who Received Systematic Return-to-Play Cardiac Screening, *JAMA Cardiology* (2021). DOI: 10.1001/jamacardio.2021.0565 , dx.doi.org/10.1001/jamacardio.2021.0565

Copyright © 2020 HealthDay. All rights reserved.

Citation: COVID leaves most pro athletes with no lasting heart damage (2021, March 4) retrieved 1 April 2023 from <u>https://medicalxpress.com/news/2021-03-covid-pro-athletes-heart.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.