


Study finds health insurance disruptions associated with worse healthcare access

24 May 2021



Credit: CC0 Public Domain

A new study underscores the importance of health insurance coverage continuity in access to and receipt of care and care affordability in the United States. Researchers found that health insurance coverage disruptions were consistently associated with worse healthcare access and problems with care affordability. The study appears in the *American Journal of Preventive Medicine*.

Decades of research has demonstrated that [health insurance coverage](#) is associated with better access to care and [health outcomes](#) in the U.S. However, less research has addressed coverage disruptions (i.e., periods without insurance) among [adults](#) with current coverage and the relationship of disruptions with care access, receipt of recommended preventive services, and affordability. To learn more, investigators led by Robin Yabroff, Ph.D., MBA of the American Cancer Society conducted a comprehensive examination of insurance coverage disruptions among adults

aged 18 to 64 years from the 2011-2018 National Health Interview Survey using multiple measures of access and affordability, and evaluated the effects of the duration of coverage disruption among currently insured and uninsured.

The study found that prior disruptions in insurance coverage were relatively common among adults aged 18-64 years in the U.S. Among currently insured adults, 5.0% with [private insurance](#) and 10.7% with public insurance reported a coverage [disruption](#) in the prior year, representing nearly 9.1 million adults in 2018. Among currently uninsured adults, 24.9% reported coverage loss within the prior year, representing nearly 8.1 million adults in 2018. Compared to adults with continuous health insurance coverage, adults with coverage disruptions were less likely to receive recommended preventive services and more likely to forgo any needed care because of cost and report medication non-adherence because of cost.

Longer coverage disruptions were associated with worse care access and affordability. The magnitude of associations between coverage disruptions and care access and affordability was similar among adults with either current private or current public coverage. Currently uninsured adults, especially with longer uninsured periods, reported significantly worse care access, receipt, and affordability than currently insured adults with coverage disruptions or continuous coverage.

"Our findings highlight the importance of health [insurance coverage](#) continuity related to access to care and affordability. This is especially relevant with recent increases in unemployment due to the COVID-19 pandemic and widespread loss of employer-based private coverage, the primary source of private [coverage](#) in the working-age population," said the authors.

More information: K. Robin Yabroff et al, Health Insurance Disruptions and Care Access and

Affordability in the U.S., *American Journal of Preventive Medicine* (2021). DOI: [10.1016/j.amepre.2021.02.014](https://doi.org/10.1016/j.amepre.2021.02.014)

Provided by American Cancer Society

APA citation: Study finds health insurance disruptions associated with worse healthcare access (2021, May 24) retrieved 31 July 2022 from <https://medicalxpress.com/news/2021-05-health-disruptions-worse-healthcare-access.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.