


Researchers identify a molecule critical to functional brain rejuvenation

June 7 2021



In young adult mice (left), TET1 is active in oligodendroglial cells especially after injury and this leads to new myelin formation and healthy brain function. In old mice (right), the age-related decline of TET1 levels impairs the ability of oligodendroglial cells to form functional new myelin. The authors are currently investigating whether increasing TET1 levels in older mice could rejuvenate the oligodendroglial cells and restore their regenerative functions. Credit: Sarah Moyon

Recent studies suggest that new brain cells are being formed every day in response to injury, physical exercise, and mental stimulation. Glial cells, and in particular the ones called oligodendrocyte progenitors, are highly responsive to external signals and injuries. They can detect changes in



the nervous system and form new myelin, which wraps around nerves and provides metabolic support and accurate transmission of electrical signals. As we age, however, less myelin is formed in response to external signals, and this progressive decline has been linked to the agerelated cognitive and motor deficits detected in older people in the general population. Impaired myelin formation also has been reported in older individuals with neurodegenerative diseases such as Multiple Sclerosis or Alzheimer's and identified as one of the causes of their progressive clinical deterioration.

A new study from the Neuroscience Initiative team at the Advanced Science Research Center at The Graduate Center, CUNY (CUNY ASRC) has identified a molecule called ten-eleven-translocation 1 (TET1) as a necessary component of myelin repair. The research, published today in *Nature Communications*, shows that TET1 modifies the DNA in specific glial cells in adult brains so they can form new myelin in response to injury.

"We designed experiments to identify molecules that could affect brain rejuvenation," said Sarah Moyon, Ph.D., a research assistant professor with the CUNY ASRC Neuroscience Initiative and the study's lead author. "We found that TET1 levels progressively decline in older mice, and with that, DNA can no longer be properly modified to guarantee the formation of functional myelin."

Combining whole-genome sequencing bioinformatics, the authors showed that the DNA modifications induced by TET1 in young adult mice were essential to promote a healthy dialogue among <u>cells</u> in the central <u>nervous system</u> and for guaranteeing proper function. The authors also demonstrated that young adult mice with a genetic modification of TET1 in the myelin-forming glial cells were not capable of producing functional myelin, and therefore behaved like older mice.



"This newly identified age-related decline in TET1 may account for the inability of older individuals to form new myelin," said Patrizia Casaccia, founding director of the CUNY ASRC Neuroscience Initiative, a professor of Biology and Biochemistry at The Graduate Center, CUNY, and the study's primary investigator. "I believe that studying the effect of aging in glial cells in normal conditions and in individuals with neurodegenerative diseases will ultimately help us design better therapeutic strategies to slow the progression of devastating diseases like multiple sclerosis and Alzheimer's."

The discovery also could have important implications for molecular rejuvenation of aging brains in healthy individuals, said the researchers. Future studies aimed at increasing TET1 levels in older mice are underway to define whether the molecule could rescue new myelin formation and favor proper neuro-glial communication. The research team's long-term goal is to promote recovery of cognitive and motor functions in older people and in patients with <u>neurodegenerative diseases</u>

More information: *Nature Communications* (2021). <u>DOI:</u> 10.1038/s41467-021-23735-3

Provided by CUNY Advanced Science Research Center

Citation: Researchers identify a molecule critical to functional brain rejuvenation (2021, June 7) retrieved 14 February 2024 from https://medicalxpress.com/news/2021-06-molecule-critical-functional-brain-rejuvenation.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.