


CRISPR/Cas9 gene editing boosts effectiveness of ultrasound cancer therapy

December 8 2021



Ultrasound irradiation of a tumor causes a lipid nanoparticle (drawing shown above) to release harmful ROS and a CRISPR/Cas9 gene-editing system. Credit: Adapted from *ACS Central Science* 2021, DOI: 10.1021/acscentsci.1c01143



Sonodynamic therapy uses ultrasound in combination with drugs to release harmful reactive oxygen species (ROS) at the site of a tumor. However, the treatment isn't very effective because cancer cells can activate antioxidant defense systems to counteract it. Now, researchers reporting in *ACS Central Science* have breached these defenses with CRISPR/Cas9 gene editing, allowing sonodynamic therapy to effectively shrink tumors in a mouse model of liver cancer.

Hepatocellular carcinoma, the most common form of liver cancer, has a poor prognosis, and surgical treatment by removing part of the liver or transplanting a healthy liver is not suitable for patients with more advanced disease. Because ultrasound can penetrate deep within tissues, sonodynamic therapy could be an effective, non-invasive way to treat hepatocellular carcinoma. But currently, cancer cells can quickly overcome the therapy by activating a gene called nuclear factor erythroid 2-related factor 2 (*NFE2L2*), which deploys the cells' detoxification and antioxidant enzyme defenses. CRISPR/Cas9 gene-editing technology has been used to knock down gene expression in the lab. So, Wei Feng, Huixiong Xu, Yu Chen and colleagues wondered if they could increase sonodynamic therapy's effectiveness by using this technology to reduce *NFE2L2* expression.

As a first step, the researchers encapsulated the CRISPR/Cas9 system and an ROS precursor molecule in lipid nanoparticles. Then, they treated hepatocellular carcinoma cells in a petri dish with the nanoparticles. The lipid nanoparticles were taken up by the cells' lysosomes. Ultrasound treatment caused ROS formation, which ruptured lysosomes and allowed the CRISPR/Cas9 system to enter the nucleus and knock down *NFE2L2* gene expression. The ROS also damaged other cellular components. As a result, significantly more cancer cells died from the sonodynamic therapy than without *NFE2L2* gene editing.

Next, the team injected the nanoparticle treatment into mice with



implanted human hepatocellular carcinoma tumors. After 15 days of the combined nanoparticle and ultrasound treatment, all of the tumors in the mice disappeared and didn't come back. Mice treated with sonodynamic therapy alone had fewer tumors than untreated mice, but the addition of the CRISPR/Cas9 system significantly improved the therapy's effectiveness. Because gene editing occurs only in tumor tissues under ultrasound irradiation, it won't cause gene mutations in healthy tissues, the researchers say.

The authors acknowledge funding from the National Natural Science Foundation of China and Shanghai Municipal Health Commission.

More information: Haohao Yin et al, Ultrasound-Controlled CRISPR/Cas9 System Augments Sonodynamic Therapy of Hepatocellular Carcinoma, *ACS Central Science* (2021). <u>DOI:</u> <u>10.1021/acscentsci.1c01143</u>

Provided by American Chemical Society

Citation: CRISPR/Cas9 gene editing boosts effectiveness of ultrasound cancer therapy (2021, December 8) retrieved 28 December 2022 from https://medicalxpress.com/news/2021-12-crisprcas9-gene-boosts-effectiveness-ultrasound.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.